

Marine protection for the New Zealand subantarctic islands – A background resource document.

Bibliography: Subantarctic Islands Marine Biogeographic Region

2006

Department of Conservation and Ministry of Fisheries (2006) Marine Protected Areas Policy and Implementation Plan. Department of Conservation and Ministry of Fisheries, Wellington, New Zealand.

Hiddink, J.G., Jennings, S., Kaiser, M.J., Queirós, A.M., Duplisea, D.E., Piet, G.J. (2006) Cumulative impacts of seabed trawl disturbance on benthic biomass, production, and species richness in different habitats. *Canadian journal of fisheries and aquatic sciences* 63(4):721-736.

Ministry of Fisheries (2006) Review of Sustainability Measures and Other Management Controls for the April 2006 - March 2007 Fishing Year Initial Position Paper 20 February 2006. Southern Blue Whiting – Campbell Island Rise (SBW 6I). <http://www.fish.govt.nz/sustainability/decisions/2006-07-sbw-ipp-final.pdf>

Walls, K. (2006) Nearshore marine classification and inventory. A planning tool to help identify marine protected areas for the nearshore of New Zealand. Department of Conservation, Wellington, New Zealand.

2005

Baird, S.J. (2005) Incidental capture of New Zealand fur seals (*Arctocephalus forsteri*) in commercial fisheries in New Zealand waters, 2000-01. New Zealand fisheries assessment report 2005/11. Ministry of Fisheries, Wellington, New Zealand.

Baird, S.J. (2005) Incidental capture of New Zealand fur seals (*Arctocephalus forsteri*) in commercial fisheries in New Zealand waters, 2001-02. New Zealand fisheries assessment report 2005/12. Ministry of Fisheries, Wellington, New Zealand.

Baird, S.J. (2005) Incidental capture of New Zealand fur seals (*Arctocephalus forsteri*) in commercial fisheries in New Zealand waters, 2002-03. New Zealand fisheries assessment report 2005/13. Ministry of Fisheries, Wellington, New Zealand.

Baird, S.J. (2005) Incidental capture of *Phocarctos hookeri* (New Zealand sea lions) in New Zealand commercial fisheries, 2001-02. New Zealand fisheries assessment report 2005/8. Ministry of Fisheries, Wellington, New Zealand.

Baird, S.J. (2005) Incidental capture of *Phocarctos hookeri* (New Zealand sea lions) in New Zealand commercial fisheries, 2002-03. New Zealand fisheries assessment report 2005/9. Ministry of Fisheries, Wellington, New Zealand.

Baird, S.J. (2005) Incidental capture of seabird species in commercial fisheries in New Zealand waters, 2002-03. New Zealand fisheries assessment report 2005/2. Ministry of Fisheries, Wellington, New Zealand.

Baird, S.J., Doonan, I.J. (2005) *Phocarctos hookeri* (New Zealand sea lions): incidental captures in New Zealand commercial fisheries during 2000-01 and in-season estimates of captures during squid trawling in SQU 6T in 2002. New Zealand fisheries assessment report 2005/17. Ministry of Fisheries, Wellington, New Zealand.

Baird, S.J., Griggs, L.H. (2005) Estimation of within-season chartered southern bluefin tuna (*Thunnus maccoyii*) longline seabird incidental captures. New Zealand fisheries assessment report ; 2005/1. Ministry of Fisheries, Wellington, New Zealand.

- Barker, D., Carroll, J.W.A., Edmonds, H.K., et al. (2005) Discovery of a previously unknown *Coenocorypha* snipe in the Campbell Island group, New Zealand subantarctic. *Notornis* 52(3): 143-149
- Bestic, Kim L., Duncan, Richard P., McGlone, Matt S., et al. (2005) Population age structure and recent *Dracophyllum* spread on subantarctic Campbell Island. *New Zealand Journal of Ecology* 29(2): 291-297.
- Cherel, Y, Hobson, KA. (2005) Stable isotopes, beaks and predators: a new tool to study the trophic ecology of cephalopods, including giant and colossal squids. *Proceedings of the Royal Society of London, Series B: Biological Sciences* 272(1572): 1601-1607.
- Chilvers, B.L., Wilkinson, I.S., Duignan, P.J., Gemmell, N.J. (2005) Summer foraging areas for lactating New Zealand sea lions *Phocarctos hookeri*. *Marine Ecology Progress Series* 304, pp. 235-247.
- De Roy, T. (2005) Landing on the Bounty Isles. *New Zealand Geographic* No. 75 Sep–Oct 2005: 40-61.
- De Roy, T., Amey, J. (2005) *Mahalia* Bounties/Antipodes expedition, November 2004. Unpublished report to the Department of Conservation, Invercargill.
- Ellis, J.C. (2005) Marine birds on land: A review of plant biomass, species richness, and community composition in seabird colonies. *Plant Ecology* 181 (2), pp. 227-241.
- Frenot, Y., Chown, S.L., Whinam, J., Selkirk, P.M., Convey, P., Skotnicki, M., Bergstrom, D.M. (2005) Biological invasions in the Antarctic: extent, impacts and implications. *Biological Reviews* 80(1):45–72.
- Goetze, E. (2005) Global population genetic structure and biogeography of the oceanic copepods *Eucalanus hyalinus* and *E. spinifer*. *Evolution* 59(11): 2378-2398.
- Greve, M., Gremmen, N.J.M., Gaston, K.J., Chown, S.L. (2005) Nestedness of Southern Ocean island biotas: Ecological perspectives on a biogeographical conundrum. *Journal of Biogeography* 32 (1), pp. 155-168.
- Hayward, B.W., Morley, M.S. (2005) Zonation and biogeography of the intertidal biota of the subantarctic Campbell and Auckland Islands, New Zealand. *Records of the Auckland Museum* 42: 7-33.
- Kaiser, M.J., Hinz, H., Callaway, R.M., Nall, A., Biles, C.L., (2005) Resource degradation: a subtle effect of bottom fishing. *Marine Biology* 146(2): 401-408.
- Karpouzi, V.S. (2005) Modelling and mapping trophic overlap between fisheries and the world's seabirds. Unpublished MSc Thesis, University of British Columbia. pp141. <http://www.fisheries.ubc.ca/grad/abstracts/karpouzithesis.pdf>
- Michaux, B. Leschen, R. A. B. (2005) East meets west: biogeology of the Campbell Plateau. *Biological Journal of the Linnean Society* 86(1):95-115.
- Ministry of Fisheries (2005) Review of Sustainability Measures and Other Management Controls for the 2004-05 (01 April) Fishing Year Final Advice Paper 9 March 2004 Southern Blue Whiting – Campbell Island Rise (SBW 6I) <http://www.mfish.govt.nz/sustainability/decisions/rsmomc-fap.pdf>
- Ministry of Fisheries (2005) Review of Sustainability Measures and Other Management Controls for the April 2005 - March 2006 Fishing Year. Initial Position Paper, 10 February 2005, Southern Blue Whiting – Campbell Island Rise (SBW 6I) <http://www.fish.govt.nz/sustainability/decisions/sbw-ipp-05-06.pdf>
- Northcote, L.C., Neil, H.L. (2005) Seasonal variations in foraminiferal flux in the Southern Ocean, Campbell Plateau, New Zealand. *Marine Micropaleontology* 56(3-4): 122-137.

O'Driscoll, R.L., Bagley, N.W. (2005) Trawl survey of hoki, hake, and ling in the Southland and Sub-Antarctic areas, November–December 2004 (TAN0414). Draft New Zealand Fisheries Assessment Report.

Smith, M.H., Baird, S.J. (2005) Factors that may influence the level of incidental mortality of New Zealand sea lions (*Phocarctos hookeri*) in the squid (*Nototodarus* spp.) trawl fishery in SQU 6T. New Zealand fisheries assessment report 2005/20. Ministry of Fisheries, Wellington, New Zealand.

Smith, M.H., Baird, S.J. (2005) Representativeness of past observer coverage, and future coverage required for estimation of New Zealand sea lion (*Phocarctos hookeri*) captures in the SQU 6T fishery. New Zealand fisheries assessment report 2005/5. Ministry of Fisheries, Wellington, New Zealand.

Snelder, T., Leathwick, J., Dey, K., Weatherhead, M., Fenwick, G., Francis, M., Gorman, R., Grieve, J., Hadfield, M., Hewitt, J., Richardson, K., Rowden, A., Uddstrom, M., Wild, M., Zeldis, J. (2005) The New Zealand marine environmental classification. Ministry for the Environment Publication No. 594, 77 pp.

Tennyson, A.J.D., Bartle, J.A. (2005) A scientific name for fulmar prions nesting at Auckland and Heard Islands. *Notornis* 52: 47-55.

West, C. (2005) New Zealand Subantarctic Islands research strategy. Department of Conservation, Southland Conservancy, Invercargill, New Zealand.

Whinam, J., Chilcott, N., Bergstrom, D.M. (2005) Subantarctic hitchhikers: expeditioners as vectors for the introduction of alien organisms. *Biological Conservation* 121(2): 207-219.

2004

Annala, J.H., Sullivan, K.J., Smith, N.W. McL., Griffiths, M.H., Todd, P.R., Mace, P.M., Connell, A.M. (2004) Report from the Fishery Assessment Plenary, May 2004: stock assessments and yield estimates. Ministry of Fisheries, Wellington, New Zealand.

Anon (2004) National plan of action to reduce the incidental catch of seabirds in New Zealand fisheries. Unpublished report, Ministry of Fisheries and Department of Conservation. Wellington, New Zealand.

Arnold, A. (ed.) (2004) Shining a spotlight on the biodiversity of New Zealand's marine ecoregion: Experts workshop on marine biodiversity, 27-28 May 2003, Wellington, New Zealand. WWF-New Zealand, Wellington, New Zealand.

Baird, S.J. (2004) Estimation of the incidental capture of seabird and marine mammal species in commercial fisheries in New Zealand waters, 1999-2000. New Zealand fisheries assessment report, 2004/41. Ministry of Fisheries, Wellington, New Zealand.

Baird, S.J. (2004) Incidental capture of seabird species in commercial fisheries in New Zealand waters, 2000-01. New Zealand fisheries assessment report 2004/58. Ministry of Fisheries, Wellington, New Zealand.

Baird, S.J. (2004) Incidental capture of seabird species in commercial fisheries in New Zealand waters, 2001-02. New Zealand fisheries assessment report 2004/60. Ministry of Fisheries, Wellington, New Zealand.

BirdLife International (2004) Tracking ocean wanderers: the global distribution of albatrosses and petrels. Results from the Global Procellariiform Tracking Workshop, 1–5 September, 2003, Gordon's Bay, South Africa. Cambridge, UK: BirdLife International.

- Booth, J., (2004) The marine ecosystem of New Zealand's subantarctic islands and their surrounding plateaus. NIWA Client Report: WLG2004-47, July 2004 – Prepared for the Department of Conservation. National Institute of Water & Atmospheric Research Ltd (NIWA), Wellington, New Zealand.
- Booth, J.D., Baird, S.J., Stevenson, M.L., Bagley N.W., Wood, B.A. (2004) Review of technologies and practices to reduce bottom trawl bycatch and seafloor disturbance in New Zealand. Draft New Zealand Fisheries Assessment Report 2004.
- Boyd, P.W., McTainsh, G., Sherlock, V., Richardson, K., Nichol, S., Ellwood, M.J., Frew, R. (2004) Episodic enhancement of phytoplankton stocks in New Zealand subantarctic waters: Contribution of atmospheric and oceanic iron supply. *Global Biogeochemical Cycles* 18(1): doi:10.1029/2002GB002020.
- Carter, R.M., Gammon, P.R., Millwood, L. (2004) Glacial-interglacial (MIS 1-10) migrations of the Subtropical Front across ODP Site 1119, Canterbury Bight, Southwest Pacific Ocean. *Marine Geology* 205(1-4): 29-58.
- Clark, MR, Rowden, AA, O'Shea, S., (2004) Effects of Fishing on the Benthic Habitat and Fauna of Seamounts on the Chatham Rise, New Zealand. *American Fisheries Society Symposium* 42: 237.
- Department of Conservation (2004) Subantarctic Islands minimum impact code. Department of Conservation, Southland Conservancy, Invercargill, New Zealand. [Pamphlet]
- Ellwood, M.J. (2004) Zinc and cadmium speciation in subantarctic waters east of New Zealand. *Marine Chemistry* 87(1-2): 37-58.
- Hall, J., Safi, K., Cumming, A. (2004) Role of microzooplankton grazers in the subtropical and subantarctic waters to the east of New Zealand. *New Zealand Journal of Marine and Freshwater Research* 38(1): 91-101.
- Hayward, B. W., Sabaa, A., Grenfell, H. R. (2004) Benthic foraminifera and the late Quaternary (last 150 ka) paleoceanographic and sedimentary history of the Bounty Trough, east of New Zealand. *Palaeogeography, Palaeoclimatology, Palaeoecology* 211: 59-93.
- Horn, P.L. (2004) Stock assessment of ling (*Genypterus blacodes*) on the Campbell Plateau (LIN 5 and 6) and off the west coast of the South Island (LIN 7) for the 2003-04 fishing year. New Zealand Fisheries Assessment Report No. 2004/7. 45 p.
- Horn, P.L. (2004) CPUE from commercial fisheries for ling (*Genypterus blacodes*) in Fishstocks LIN 3, 4, 5, 6, and 7 from 1990 to 2002. New Zealand Fisheries Assessment Report No. 2004/12. 41 p.
- Horn, P.L. (2004) A review of the auto-longline fishery for ling (*Genypterus blacodes*) based on data collected by observers from 1993 to 2003. New Zealand Fisheries Assessment Report No. 2004/47. 28 p.
- Horn, P.L. (2004) CPUE from commercial fisheries for ling (*Genypterus blacodes*) in fishstocks LIN 3, 4, 5, 6, and 7 from 1990 to 2003. New Zealand Fisheries Assessment Report No. 2004/62. 40 p.
- Livingston, M.E. Stevens, D.W. (2004) Sampling programme to construct and quantify food webs supporting important fish and invertebrate species in New Zealand waters. Final Research Report for Ministry of Fisheries Research Project ENV2002/07 Obj.1.
- Molenaar, E.J. (2004) Multilateral hot pursuit and illegal fishing in the Southern Ocean: the pursuits of the Viarsa 1 and the South Tomi. *International journal of marine and coastal law* 19(1): 19-42.

- Moore, P. (2004) Abundance and population trends of mollymawks on Campbell Island. *Science for conservation* 242. Department of Conservation, Wellington. 62p.
- Morton, J. (2004) *Seashore ecology of New Zealand and the Pacific*. Bateman, Auckland, New Zealand.
- Neil, H.L., Carter, L., Morris, M.Y. (2004) Thermal isolation of Campbell Plateau, New Zealand, by the Antarctic Circumpolar Current over the past 130 kyr. *Paleoceanography* 19 (4), pp. 1-17.
- O'Driscoll, R.L., Bagley, N.W. (2004) Trawl survey of hoki, hake, and ling in the Southland and Sub-Antarctic areas, November–December 2003 (TAN0317). Draft New Zealand Fisheries Assessment Report.
- O'Driscoll, R.L., Hanchet, S.M. (2004) Acoustic survey of spawning southern blue whiting on the Campbell Island Rise from FV *Aoraki* in September 2003. New Zealand Fisheries Assessment Report 2004/27. 31 p.
- Sherrard, J.C., Hunter, K.A., Boyd, P.W. (2004) Selenium speciation in subantarctic and subtropical waters east of New Zealand: trends and temporal variations. *Deep-Sea Research I* 51(3): 491–506.
- Stanton, B.R., Morris, M.Y. (2004) Direct velocity measurements in the Subantarctic Front and over the Campbell Plateau. *Journal of Geophysical Research* 109: C01028.
- Stuart, M.D., 2004. Review of research on *Undaria pinnatifida* in New Zealand and its potential impacts on the eastern coast of the South Island. DOC Science Internal Series 166. Department of Conservation. Wellington, New Zealand. 40pp.
- Tracey, D.M., Bull, B., Clark, M.R., Mackay, K.A. (2004) Fish species composition on seamounts and adjacent slope in New Zealand waters. *New Zealand Journal of Marine and Freshwater Research* 38: 163–182.
- Williams, M.J.M. (2004) Analysis of quasi-synoptic eddy observations in the New Zealand subantarctic. *New Zealand Journal of Marine and Freshwater Research* 38: 183–194.
- Wilmshurst, J.M., Bestic, K.L., Meurk, C.D., McGlone, M.S. (2004) Recent spread of *Dracophyllum* scrub on subantarctic Campbell Island, New Zealand: Climatic or anthropogenic origins? *Journal of Biogeography* 31(3): 401-413.
- Woelkerling, W.J., Nelson, W.A. (2004) A baseline summary and analysis of the taxonomic biodiversity of coralline red algae (Corallinales, rhodophyta) recorded from the New Zealand region. *Cryptogamie Algologie* 25(1): 39-106.

2003

- Anderson, O.F., Clark, M.R. (2003) Analysis of bycatch in the fishery for orange roughy, *Hoplostethus atlanticus*, on the South Tasman Rise. *Marine and Freshwater Research* 54: 643–652.
- Andrew, A., Francis, M. (eds) (2003) *The Living Reef: The Ecology of New Zealand's Rocky Reefs*. Craig Potton Publishing, Nelson, New Zealand. 283 p.
- Bradford-Grieve, J.M., Probert, P.K., Nodder, S.D., Thompson, D., Hall, J., Hanchet, S., Boyd, P., Zeldis, J., Baker, A.N., Best, H.A., Broekhuizen, N., Childerhouse, S., Clark, M., Hadfield, M., Safi, K., Wilkinson, I. (2003) Pilot trophic model for subantarctic water over the Southern Plateau, New Zealand: a low biomass, high energy transfer efficiency system. *Journal of Experimental Marine Biology and Ecology* 289(2): 223–262.

- Broekhuizen, N., Stahl J.C., Sagar, P. M. (2003) Simulating the distribution of southern Buller's Albatross using an individual-based population model. *Journal of Applied Ecology* 40: 678-691.
- Chang, S.W., Choi, H., Lee, S.R., Graham, I.J., Wright, I.C. (2003) Ferromanganese nodules in the vicinity of Bollons Seamount SE of the Campbell Plateau, SW Pacific Ocean: Part 1: Distribution and external morphology. GNS Science Report No. 2003/13. 41 p.
- Childerhouse, S., Robertson, C., Hockly, W., Gibbs, N. (2003) Royal albatross (*Diomedea epomophora*) on Enderby Island, Auckland Islands. DOC science internal series 144. Department of Conservation, Wellington. 19p.
- Dunford, A. (2003) Review and revision of southern blue whiting (*Micromesistius australis*) target strength. Final Research Report for Ministry of Fisheries Research Project SBW2001/02 Objective 2. 16 p. (Unpublished report held by the Ministry of Fisheries, Wellington.)
- Dunn, A. (2003) Revised estimates of landings of hake (*Merluccius australis*) for the west coast South Island, Chatham Rise, and sub-Antarctic stocks in the fishing years 1989-90 to 2000-01. New Zealand Fisheries Assessment Report no. 39, 36 pp.
- Guerra-Garcia, J.M. (2003) The caprellidean amphipoda from the subantarctic islands of New Zealand and Australia with the description of a new genus and two new species. *Scientia Marina* 67(2):177-194.
- Hanchet, S.M., Grimes, P.J., Coombs, R.F., Dunford, A. (2003) Acoustic biomass estimates of southern blue whiting (*Micromesistius australis*) for the Campbell Island Rise, August-September 2002. New Zealand Fisheries Assessment Report 2003/44. Ministry of Fisheries, Wellington, New Zealand. 38 p.
- Hanchet, S.M., Dunn, A., Stevenson, M.L. (2003) Southern blue whiting (*Micromesistius australis*) stock assessment for the Campbell Island Rise for 2003. New Zealand Fisheries Assessment Report 2003/59. Ministry of Fisheries, Wellington, New Zealand. 42 p.
- Hindell, M.A., Bradshaw, C.J.A., Sumner, M.D., Michael, K.J., Burton, H.R. (2003) Dispersal of female southern elephant seals and their prey consumption during the austral summer: relevance to management and oceanographic zones. *Journal of Applied Ecology* 40(4): 703-715.
- Kennington, E. L. (2003) The effects of fishing on species and genetic diversity. In M. Sinclair & G. Valdimarsson, eds. Responsible fisheries in the marine ecosystem, pp. 25-40. Rome, Italy, and Wallingford, UK. FAO and CAB International.
- Lalas, C., Bradshaw, C.J.A. (2003) Expectations for population growth at new breeding locations for the vulnerable New Zealand sea lion (*Phocarctos hookeri*) using a simulation model. *Biological Conservation* 114(1): 67-78.
- Lewis, P.N., Hewitt, C.L., Riddle, M. & McMinn, A. (2003) Marine introductions in the Southern Ocean: an unrecognized hazard to biodiversity. *Marine Pollution Bulletin*, 46: 213-223.
- Molloy, L.F. and Dingwall, P.R. (1990) World Heritage Values of New Zealand Islands, in Towns D.R., Daugherty C.H. and Atkinson I.A.E. (eds) Ecological Restoration of New Zealand Islands. Conservation Sciences Publication No. 2. Department of Conservation, Wellington, New Zealand.
- Moller, H., Thompson, D., Sagar, P.M. (2003) Falling productivity in New Zealand's southern seas. *Titi Times* 12: 18.

- Nodder, S.D., Pilditch, C.A., Probert, P.K., Hall, J.A. (2003) Variability in benthic biomass and activity beneath the Subtropical Front, Chatham Rise, SW Pacific Ocean. *Deep- Sea Research I* 50(8): 959–985.
- O'Driscoll, R.L., Bagley, N.W. (2003) Trawl survey of hoki, hake, and ling in the Southland and Sub-Antarctic areas, November–December 2002 (TAN0219). New Zealand Fisheries Assessment Report 2003/46. 57 p.
- O'Driscoll, R.L., Bagley, N.W. (2003) Trawl survey of middle depth species in the Southland and Sub-Antarctic areas, November–December 2001 (TAN0118). Ministry of Fisheries, New Zealand Fisheries Assessment Report No. 2003/1
- O'Driscoll, R.L., Booth, J.D., Bagley, N.W., Anderson, O.F., Griggs, L.H., Stevenson, M.L., Francis, M.P. (2003) Areas of importance for spawning, pupping, egg-laying, and juveniles of New Zealand deepwater fish, pelagic fish, and invertebrates. NIWA Technical Report 119.
- Padraig J. Duignan, Nadine J. Gibbs, and Gareth W. Jones. (2003) Autopsy of pinnipeds incidentally caught in fishing operations 1997/98, 1999/2000, and 2000/01. DOC Science internal series; 118, Department of Conservation, Wellington, New Zealand.
- Peat, N. (2003) Subantarctic New Zealand: A Rare Heritage. Department of Conservation Te Papa Atawhai, Southland Conservancy, Invercargill, New Zealand.
- Phillips, K.L., Nichols, P.D., Jackson, G.D. (2003) Dietary variation of the squid *Moroteuthis ingens* at four sites in the Southern Ocean: Stomach contents, lipid and fatty acid profiles. *Journal of the Marine Biological Association of the United Kingdom* 83(3): 523-534.
- Robertson, C.J.R., Bell, E.A., Sinclair, N., Bell, B.D. (2003) Distribution of seabirds from New Zealand that overlap with fisheries worldwide. *Science for Conservation* 233. Department of Conservation, Wellington, New Zealand.
- Rosenberg, A. (2003) Multiple use of marine ecosystems. In M. Sinclair & G. Valdimarsson, eds. *Responsible fisheries in the marine ecosystem*, pp. 189-196. Rome, Italy, and Wallingford, UK. FAO and CAB International
- Sagar, P.M. (2003) Buller's mollymawk – a seabird with a difference. *Titi Times* 12: 9.
- Sagar, P.M. (2003) Penguin numbers continue to slide. *New Zealand Geographic* 65: 14–15.
- Sagar, P.M., Miskelly, C.M., Tennyson, A.J.D. (2003) Population size, breeding, and annual cycle of the New Zealand Antarctic tern (*Sterna vittata bethunei*) at the Snares Islands. *Notornis* 50: 36–42.
- Sainsbury, K. & Sumaila, U.R. (2003) Incorporating ecosystem objectives into management of sustainable marine fisheries, including "best practice" reference points and use of marine protected areas. In M. Sinclair & G. Valdimarsson, eds. *Responsible fisheries in the marine ecosystem*, pp. 343-361. Rome, Italy, and Wallingford, UK. FAO and CAB International.
- Schiel, D., Kingsford, M. (2003) Subantarctic islands. *In: The living reef. The ecology of New Zealand's rocky reefs.* Andrew, N, Francis, M. (eds) Craig Potton Publishing, Nelson.
- Sutton, P.J.H. (2003) The Southland Current: a subantarctic current. *New Zealand Journal of Marine and Freshwater Research* 37(3): 645–652.
- Wilkinson, I.S., Burgess, J., Cawthorn, M.W. (2003) New Zealand sea lions and squid – managing fisheries impacts on a threatened marine mammal. In: N. Gales, M. Hindell and R. Kirkwood (eds) *Marine Mammals: Fisheries, Tourism and Management Issues*. CSIRO Publishing, Melbourne p. 192-207.

Wiltshire, A., Hamilton, S. (2003) Population estimate for northern giant petrels (*Macronectes halli*) on Antipodes Island, New Zealand. *Notornis* 50: 128-132.

Wiltshire, A., Hamilton, S. (2003) An albino Light-mantled Sooty Albatross *Phoebastria palpebrata* chick at Antipodes Island, New Zealand. *Corella* 27(1):22.

Pre - 2002

- Adams, C.J. (1981) Migration of late Cretaceous volcanism in the South Island of New Zealand and the Campbell Plateau. *Nature* 294: 153–154.
- Adams, C.J. (1985) Geological studies on the 1985 Subantarctic cruise of HMNZS Monowai : southern leg to Campbell Island, Auckland and Snares Islands, S.W. Pacific, 14 February-1 March 1985. Lower Hutt, N.Z. Institute of Nuclear Sciences, DSIR, 1985 (Institute of Nuclear Sciences INS-R; 341)
- Adams, C.J. (1985) Geology of the Antipodes and Bounty Islands, Southwest Pacific : report of geological studies on the 1985 Subantarctic cruise of HMNZS " Monowai" : northern leg to Antipodes & Bounty Islands, 27 February-13 March 1985 / Lower Hutt, N.Z. Institute of Nuclear Sciences, Dept. of Scientific and Industrial Research, [1985] (Institute of Nuclear Sciences INS-R; 300)
- Adams, C.J., Cullen, D.J. (1978) Potassium-argon ages of granites and metasediments from the Bounty Islands area, southwest Pacific Ocean. *Journal of the Royal Society of New Zealand* 8: 127–132.
- Adams, C.J., Morris, P.A., Beggs, J.M. (1979) Age and correlation of volcanic rocks of Campbell Island and metamorphic basement of the Campbell Plateau, South-west Pacific. *New Zealand Journal of Geology and Geophysics* 22: 679–691.
- Adams, N.M. (1994) Seaweeds of New Zealand: an illustrated guide. Canterbury University Press, Christchurch, New Zealand. 360 p.
- Aerodrome Services (1946) Cape Expedition : Auckland and Campbell Islands / compiled and printed by Aerodrome Services - P.W.D [Wellington, N.Z. : Aerodrome Services Branch, Public Works Department, 1946]
- Amey, J., McAllister, G., Clark, G., (1994) Antipodes Island expedition 1994. 50, [10] leaves : ill., maps ; 30 cm. Held at DOC Head Office Library.
- Anderson, O.F., Bagley, N.W., Hurst, R.J., Francis, M.P., Clark, M.R., McMillan, P.J. (1998) Atlas of New Zealand fish and squid distributions from research bottom trawls. NIWA Technical Report 42. 303 p.
- Anon (1983) Summaries of climatological observations to 1980. *New Zealand Meteorological Service Miscellaneous Publication 177*. Wellington, New Zealand.
- Anon (2001) Macquarie Island Marine Park management plan, 2001. Environment Australia, Canberra.
- Atkinson, I.A.E., Bell, B.D. (1973) Offshore and outlying islands. *In: The natural history of New Zealand. An ecological survey*. G.R. Williams (ed) A.H. & A.W. Reed, Wellington.
- Bailey, A.M., Sorenson, J.H. (1962) Subantarctic Campbell Island. *Proceedings, Denver Museum of Natural History* 10. 305 p.
- Baird, S.J. (1996) Non fish species and fisheries interactions working groups report. May 1996. New Zealand Fisheries Assessment Working group Report 96/1, Ministry of Fisheries, Wellington.
- Baird, S.J. (1997) Report on the incidental capture of nonfish species during fishing operations in New Zealand waters. National Institute of Water and Atmospheric Research, 1997 (A report from Ministry of Fisheries research project; SANF01. Ministry of Fisheries, Wellington, New Zealand.

- Baird, S.J. (1999) Estimation of nonfish bycatch in commercial fisheries in New Zealand waters, 1997-98. National Institute of Water and Atmospheric Research, 1999. Objective 1 ENV9801. Ministry of Fisheries, Wellington, New Zealand.
- Baird, S.J. (2001) Estimation of the incidental capture of seabird and marine mammal species in commercial fisheries in New Zealand waters, 1998-99. New Zealand fisheries assessment report, 2001/14. Ministry of Fisheries, Wellington, New Zealand.
- Baird, S.J., Bagley, N.W., Wood, B.A., Dunn, A., Beentjes, M.P. (2002) The spatial extent and nature of mobile bottom fishing methods within the New Zealand EEZ, 1989-90 to 1998-99. National Institute of Water and Atmospheric Research, 2002. Objective 1 ENV2000/05. Final Research Report for MFish Project ENV2000/05. 36 p. Ministry of Fisheries, Wellington, New Zealand.
- Balduzzi, A.; Barbieri, M.; Bavestrello, G.; Sara, M. (1991) Checklist of antarctic and circumantarctic Demospongiae. Pp. 313-335 in Guglielmo, L. (Ed): National Scientific Commission for Antarctica Oceanographic Campaign 1989-1990: data report, part 1: physical, chemical and biological oceanography. Ministry for University and Scientific and Technological Research, National scientific commission for Antarctica.
- Balech, E. (1968) Primary production and benthic marine algae of the Antarctic and Subantarctic. Antarctic Map Series (American Geographical Society Folio) No. 10.
- Ballantine, W.J. (1990) The significance of island reserves for ecological restoration of marine communities. Pp. 22-37 in Towns, D.R.; Daugherty, C.H.; Atkinson, I.A.E. (Eds): Ecological restoration of New Zealand islands. Conservation Sciences Publication No. 2. Department of Conservation, Wellington, New Zealand.
- Beggs, J.M. (1978) Geology of the metamorphic basement and Late Cretaceous to Oligocene sedimentary sequence of Campbell Island, Southwest Pacific Ocean. *Journal of the Royal Society of New Zealand* 8: 161-177.
- Bell, B.D. (1975) Report on the birds of the Auckland Islands Expedition 1972-73. In: Preliminary results of the Auckland Islands Expedition 1972-1973. Yaldwyn, J.C. (ed). Department of Lands and Survey.
- Bell, E.A. (2002) Grey petrels (*Procellaria cinerea*) on Antipodes Island, New Zealand: research feasibility, April to June 2001. DOC Science internal series 60, Dept. of Conservation. Wellington, N.Z. 2002.
- Berge, S., Markussen, J.M., Vigerust, G. (1991) Environmental consequences of deep seabed mining. Problem areas and regulations. The Fridtjof Nansen Institute.
- Beu, A.G. (1978) The marine fauna of New Zealand: the Molluscan genera *Cymatona* and *Fusitriton* (Gastropoda, Family Cymatiidae). *New Zealand Oceanographic Institute Memoir* 65.
- Booth, J., Webber, R. (2001) All the pretty lobsters – Part I. *Seafood NZ December*: 20-23.
- Boyd, P., LaRoche, J., Gall, M., Frew, R., McKay, R.M.L. (1999) The role of iron, light and silicate in controlling algal biomass in sub-Antarctic water SE of New Zealand. *Journal of Geophysical Research* 104 (C6): 13395-13408.
- Bradford-Grieve, J. (2000) The Southern Plateau subantarctic ecosystem: how does it work? NIWA Water & Atmosphere 8(3)
<http://www.niwa.co.nz/pubs/wa/08-3-Sep-2000/southernplateau.htm>
- Bradford-Grieve, J.M., Boyd, P.W., Chang, F.H., Chiswell, S., Hadfield, M., Hall, J.A., James, M.R., Nodder, S., Shushkina, E.A. (1999) Pelagic ecosystem structure and functioning in the Subtropical Front region east of New Zealand in austral winter and spring 1993. *Journal of Plankton Research* 21 (3): 405-428.

- Briggs, J.C. (1974) Marine zoogeography: the southern ocean. McGraw-Hill, New York. 475 p.
- Brodie, J.W. (1973) The ocean environment. In: The natural history of New Zealand. An ecological survey. Williams, G.R. (ed) A.H. & A.W. Reed, Wellington.
- Cairns, S.D. (1991) The marine fauna of New Zealand: Stylasteridae (Cnidaria: Hydrozoa). New Zealand Oceanographic Institute Memoir 98.
- Cairns, S.D. (1995) The marine fauna of New Zealand: Scleractinia (Cnidaria: Anthozoa). New Zealand Oceanographic Institute Memoir 103.
- Campbell, W.J., Josberger, E.G. (1994) Southern Ocean wave fields during the austral winters, 1985-1988, by Geostat radar altimeter. *Geophysical Monograph* 85: 421–434.
- CANZ (1997) New Zealand region bathymetry, 1:4 000 000. NIWA chart Miscellaneous Series No. 73.
- Carbines, G.D. (1998) How far do blue cod move? *Seafood New Zealand* 6(7): 44-47.
- Carey, P. W. (1998) New Zealand fur seals (*Arctocephalus forsteri*) at the Snares Islands: A stabilised population? *New Zealand Journal of Marine and Freshwater Research* 32 (1)113-118.
- Carter, L. (1975) Sedimentation on the continental terrace around New Zealand: a review. *Marine Geology* 19: 209-237.
- Carter, L. (1989) New occurrences of manganese nodules in the South-western Pacific Basin, east of New Zealand. *New Zealand Journal of Marine and Freshwater Research* 23: 247–253.
- Carter, L., Carter, R.M. (1993) Sedimentary evolution of the Bounty Trough: a Cretaceous rift basin, Southwest Pacific Ocean. In: South Pacific sedimentary basins, pp. 51–67. Balance, P.F. (ed) Elsevier, Amsterdam.
- Carter, L., Eade, J.V., Mitchell, J.S., Rees, B.J. (1977) A morphological guide to the continental-oceanic crustal boundary around New Zealand. *NZOI Oceanographic Summary* 13.
- Carter, L., Garlick, R.D., Sutton, P., Chiswell, S., Oien, N., Stanton, B.R. (1998) Ocean circulation New Zealand. *NIWA Chart Miscellaneous Series No. 76*.
- Carter, L., McCave, I.N. (1994) The sedimentary regime beneath the Deep Western Boundary Current inflow to the Southwest Pacific Ocean. *Journal of Sedimentary Research* 67: 1005–1017.
- Carter, L., Neil, H.L., McCave, I.N. (2000) Glacial to interglacial changes in noncarbonated and carbonate accumulation in the SW Pacific Ocean, New Zealand. *Palaeogeography, Palaeoclimatology, Palaeoecology* 162: 333–356.
- Carter, R.M., McCave, I.N., Richter, C., Carter, L. (1998) Covering Leg 181 of the cruises of the drilling vessel *Joides Resolution*, Sydney, Australia, to Wellington, New Zealand. Sites 1119–1125. 11 August–8 October 1998. *Proceedings of the Ocean Drilling Program 181*. Initial reports, Southwest Pacific Gateways.
- Carter, R.M., Norris, R.J. (1976) Cainozoic history of southern New Zealand: an accord between geological observations and plate-tectonic predictions. *Earth and Planetary Science Letters* 31: 85–94.

- Cessford, G. R., Dingwall, P.R. (1996) Tourist visitors and their experiences at New Zealand Subantarctic islands, Science & Research Series; no. 96. Department of Conservation, Wellington, New Zealand.
- Chatterton, T.D. (1996) Catch per unit effort (CPUE) analysis of the Campbell Island Rise southern blue whiting (*Micromesistius australis*) trawl fishery from 1986 to 1993. New Zealand fisheries assessment research document; 96/1. Ministry of Fisheries, Wellington, New Zealand.
- Chen, X. (1998) The fishing ground of *Nototodarus sloanii* and its catch distribution around New Zealand waters. *Journal of Shanghai Fisheries University* 7: 93–101.
- Chen, X. (1999) Biology of *Nototodarus sloanii* around New Zealand waters. *Journal of Fishery Sciences of China* 6: 27–32.
- Cherel, Y., Waugh, S., Hanchet, S. (1999) Albatross predation of juvenile southern blue whiting (*Micromesistius australis*) on the Campbell Plateau. *New Zealand Journal of Marine and Freshwater Research* 33: 437–441.
- Child, C.A. (1998) The marine fauna of New Zealand: Pycnogonida (sea spiders). *NIWA Biodiversity Memoir* 109.
- Childerhouse, S., Dix, B., Gales, N. (2001) Diet of New Zealand sea lions (*Phocarctos hookeri*) at the Auckland Islands. *Wildlife Research* 28: 291–298.
- Childerhouse, S., Gales, N. (1998) Historical and modern distribution and abundance of the New Zealand sea lion *Phocarctos hookeri*. *New Zealand Journal of Zoology* 25: 1–16.
- Chiswell, S.M., Inglis, G., Hayden, B. (2001) Alternative biosecurity management tools for vector threats – ballast water discharge and exchange areas. Final Research Report for Ministry of Fisheries Research Project ZBS2000/02.
- Clark, G., Booth, A., Amey, J. (1998) The *Totorore* expedition to the Bounty Islands, New Zealand, October 1997 to January 1998. [1998] 64 leaves, ill., maps; 30 cm, Unpublished typescript. - Spiral binding. Department of Conservation, Invercargill. 19p Held at DOC Head Office Library.
- Clark, H.E.S., McKnight, D.G. (2000) The marine fauna of New Zealand: Echinodermata: Asteroidea (sea-stars) Order Valvatida. *NIWA Biodiversity Memoir* 117.
- Clark, H.E.S., McKnight, D.G. (2001) The marine fauna of New Zealand: Echinodermata: Asteroidea (sea-stars) Order Paxillosida. *NIWA Biodiversity Memoir* 116.
- Clark, M., O'Shea, S., Tracey, D., Glasby, B. (1999) New Zealand region “seamounts”. Aspects of their biology, ecology and fisheries. NIWA Contract Report WLG99/32.
- Clark, M.R. (1985) Feeding relationships of seven fish species from the Campbell Plateau, New Zealand. *New Zealand Journal of Marine and Freshwater Research* 19: 365–374.
- Clark, M.R. (1985) The food and feeding of seven fish species from the Campbell Plateau, New Zealand. *New Zealand Journal of Marine and Freshwater Research* 33: 339–363.
- Clark, W.C. (1971) Pycnogonida of the Antipodes Islands. *New Zealand Journal of Marine and Freshwater Research* 5: 427–452.
- Clifton, L. (1946) Auckland Islands. Unpublished report, Wellington, 1946.

- Cole, E.R., Gregg, R.C., Joyce, P.A., McManamon, D.J. (1992) An introduction to the petroleum geology of New Zealand. New Zealand petroleum prospectus 1992. Ministry of Commerce.
- Colin M. Miskelly, Peter W. Carey, Simon D. Pollard (1990) Antipodes Island expedition 12-166 October 1990 report / Dept. of Zoology, University of Canterbury, Christchurch.
- Cook, R.A., Zhu, H., Sutherland, R., Killops, S., Funnell, R. (1998) Future exploration of the Great South Basin. 1998 Petroleum Conference Proceedings. Ministry of Commerce.
- Cooper, W. (1992) Rockhopper penguins at the Auckland Islands. *Notornis* 36: 66-67.
- Costa, Daniel P., Gales, Nicholas J. (2000) Foraging energetics and diving behavior of lactating New Zealand sea lions, *Phocarctos hookeri*. *Journal of Experimental Biology* 203 (23): 3655-3665.
- Couper, A. ed. (1983) The Times Atlas of the Oceans. Times Books Ltd, London.
- Cranfield, H.J., Gordon, D.P., Willan, R.C., Marshall, B.A., Battershill, C.N., Francis, M.P., Nelson, W.A., Glasby, C.J., Read, G.B. (1998) Adventive marine species in New Zealand. *NIWA Technical Report 34*.
- Crawley, M.C., Cameron, D.B. (1972) New Zealand sea lions, *Phocarctos hookeri*, on the Snares Islands. *New Zealand Journal of Marine and freshwater Research* 6: 127–132.
- Cryer, M., Coburn, R., Hartill, B., O'Shea, S., Kendrick, T., Doonan, I. (1999) Scampi stock assessment for 1998 and an analysis of the fish and invertebrate bycatch of scampi trawlers. *New Zealand Fisheries Assessment Research Document 99/4*.
- Cryer, M., Hartill, B., O'Shea, S. (2002) Modification of marine benthos by trawling: toward a generalization for the deep ocean? *Ecological applications* 12(6): 1824–1839.
- Cullen, D.J. (1967) The Antipodes Fracture Zone, a major structure of the South-west Pacific. *New Zealand Journal of Marine and Freshwater Research* 1: 16–25.
- Cullen, D.J. (1969) Island Chart Series 1: 200,000 at Lat. 48° Antipodes Islands bathymetry. Department of Scientific and Industrial Research, Wellington, New Zealand.
- Cullen, D.J. (1971) Island Chart Series 1: 200,000 at Lat. 52° 30' Campbell Island bathymetry. Department of Scientific and Industrial Research, Wellington, New Zealand.
- Cullen, D.J. (1975) Autochthonous rocks of the Bounty Islands region, South-west Pacific Ocean. *New Zealand Journal of Geology and Geophysics* 18: 767–785.
- Cullen, D.J. (1986) Submarine phosphatic sediments of the SW Pacific. *In: Sedimentation and mineral deposits in the Southwestern Pacific Ocean*. Cronan, D.S. (ed) Academic Press, London.
- Cunningham, D.M., Moors, P.J. (1994) The decline of rockhopper penguins *Eudyptes chrysocome* at Campbell Island, Southern Ocean and the influence of rising sea temperatures. *Emu*, 94(1): 27-36.
- Darlington, J.R. (1960) The zoogeography of the southern cold temperate zone. Proceedings of the Royal Society of London, B series 152: 659-668.
- Davey, F.W. (1977) Marine seismic measurements in the New Zealand region. *New Zealand Journal of Geology and Geophysics* 20: 719–777.
- Dawson, E.W. (1963) Oceanography in the Subantarctic. *Antarctic* 3: 315-337.

- Dawson, E.W. (1965) Oceanography and marine zoology of the New Zealand subantarctic. *Proceedings of the New Zealand Ecological Society* 12: 44–57.
- Dayton, P.K., Thrush, S.F., Agardy, M.T., Hofman, R.J. (1995) Environmental effects of fishing. *Aquatic Conservation: Marine and Freshwater Ecosystems* 5: 205–232.
- De Lisle, J.F. (1965) The climate of the Auckland Islands, Campbell Island and Macquarie Island. *Proceedings of the New Zealand Ecological Society* 12: 37–44.
- Dell, R.K. (1956) The archibenthal mollusca of New Zealand. *Dominion Museum Bulletin* 18.
- Dell, R.K. (1962) New Zealand marine provinces – do they exist? *Tuatara* 10(1): 43–52.
- Dell, R.K. (1964) Marine mollusca from Macquarie and Heard Islands. *Records of the Dominion Museum* 4: 267–301.
- Dell, R.K. (1968) Composition and distribution of the New Zealand brachyuran fauna. *Transactions of the Royal Society of New Zealand Zoology* 19 (25): 225-40.
- Dell, R.K.; Griffin, D.J.G.; Yaldyn, J.C. (1970) New swimming crab from the New Zealand Subantarctic and a review of the genus *Nectocarcinus* A. Milne Edwards. *Royal Society of New Zealand Biological Transactions* 12(7): 49-68.
- Department of Conservation (1995) Draft conservation management strategy for Subantarctic Islands, Southland Conservancy. Southland Conservancy Conservation Management Planning Series No. 6. Department of Conservation, Invercargill, New Zealand.
- Department of Conservation (1998) Conservation management strategy Subantarctic Islands 1998-2008. Southland Conservancy Conservation Management Planning Series No. 10. Department of Conservation, Invercargill, New Zealand.
- Department of Conservation (1999) Conservation Management Strategy, Subantarctic Islands 1998-2008. Southland Conservancy Conservation Management Planning Series No. 10. Department of Conservation, Southland Conservancy, Invercargill, New Zealand.
- Department of Conservation (2002) Auckland Islands marine reserve application. Department of Conservation, Invercargill, New Zealand.
- Department of Conservation (2002) Monitoring wandering albatrosses at Auckland and Antipodes Islands, 1995/96. DOC Science internal series 68-80. Special Conservation Services Levy compendium. 2001/02. Department of Conservation, Wellington, New Zealand.
- Department of Land and Survey (1982) Draft management plan for the Campbell Islands. (Nature Reserve Management Plan series no. NR11) Department of Land and Survey, Wellington, New Zealand.
- Department of Lands and Survey (1980) Antipodes Island management plan. Department of Lands and Survey, Wellington, New Zealand.
- Department of Lands and Survey (1981) Bounty Islands management plan. Department of Lands and Survey, Wellington, New Zealand.
- Department of Lands and Survey (1983) Antipodes Islands Management Plan. Department of Lands and Survey, Wellington, New Zealand.
- Department of Lands and Survey (1983) Bounty Islands Management Plan. Department of Lands and Survey, Wellington, New Zealand.

- Department of Lands and Survey (1983) Management Plan for the Campbell Islands Nature Reserve. Management Plans Series No. NR13., Department of Lands and Survey, Wellington, New Zealand.
- Department of Lands and Survey (1984) Campbell Island management plan. Department of Lands and Survey, Wellington, New Zealand.
- Department of Lands and Survey (1985) Auckland Islands Nature Reserve draft management plan. Department of Lands and Survey, Wellington, New Zealand.
- Department of Lands and Survey (1987) Management Plan for the Auckland Islands Nature Reserve. Management Plans Series No. NR19. Department of Lands and Survey, Wellington, New Zealand.
- Dingwall, P. (1981) The Changing Image of the Auckland Islands. Landscape 9, Wellington, Department of Lands and Survey, May, 1981.
- Dingwall, P.R. (1992) Application of the World Heritage Convention to Antarctica and Islands of the Southern Ocean. Series: Proceedings, IV World Congress on National Parks and Protected Areas: 187 - 191.
- Donoghue, M.F. (1985) Final report on status of Hookers sea lion and incidental catch in the Auckland Islands squid fishery. WWF and IUCN Project No. 3618.
- Dunn, A., Grimes, P.J., Hanchet, S.M. (2001) Comparative evaluation of two-phase and adaptive cluster sampling designs for acoustic surveys of southern blue whiting (*M. australis*) on the Campbell Rise. Final Research Report for MFish Research Project SBW1999/01. Objective 1. 15. (Unpublished report held by the Ministry of Fisheries, Wellington.)
- Dunning, M.C. (1998) Zoogeography of arrow squids (Cephalopoda: Ommastrephidae) in the Coral and Tasman Seas, Southwest Pacific. In Voss, N.A., Vecchione, M., Toll, R.B., Sweeney, M.J. (Eds.), Systematics and biogeography of cephalopods, volume 2, pp. 435– 453. Smithsonian Institution Press, Washington D.C.
- Eade, J.V., Carter, L. (1975) Definitions and code of nomenclature for the naming of morphologic features on the New Zealand seafloor. *NZOI Records* 2(11).
- Enderby, C. (1849) The Auckland Islands: a short account of their climate, soils and productions; and the advantages of establishing there a settlement at Port Ross for carrying on the southern whale fisheries. London, Richardson, 1849.
- Erskine, P.D., Bergstrom, D.M., Schmidt, S., Stewart, G.R., Tweedie, C.E., Shaw, J.D. (1998) Subantarctic Macquarie Island - A model ecosystem for studying animal-derived nitrogen sources using N natural abundance. *Oecologia* 117 (1-2), pp. 187-193.
- Estcourt, I.N. (1976) A bibliography of scientific studies of New Zealand mainland estuaries, inlets, lagoons, harbours and fiords. NZOI Miscellaneous Publication No. 75. New Zealand Oceanographic Institute, Wellington, New Zealand.
- Falla, R.A. (1975) General observations on the seasonal cycle of the southern spider crab (*Jacquiniotia edwardsii*) and its significance in the food cycle of Hookers' sea-lion. Pp. 381-383 in Yaldyn, J.C. (Ed): Preliminary results of the Auckland Islands Expedition 1972-1973. New Zealand Department of Lands and Survey, Wellington, New Zealand.
- Fell, H.B. (1953) Echinoderms from the subantarctic islands of New Zealand: Asteroidea, Ophiuroidea, and Echinoidea. *Records of the Dominion Museum* 2: 73 – 111.
- Fellerer, R.M. (1988) Exploration methods. In: The manganese nodule belt of the Pacific Ocean. Geological environment, nodule formation, and mining aspects. Halbach, P., Friedrich, G., von Stackelberg, U. (eds) Ferdinand Enke Verlag Stuttgart.

- Fenwick, G.D. (1975) Decapoda and stomatopoda. (The University of Canterbury terrestrial and marine invertebrate research programme of the Auckland Islands Expedition 1972–73.) *In*: Preliminary results of the Auckland Islands Expedition 1972–1973. Yaldwyn, J.C. (ed) Department of Lands and Survey.
- Fenwick, G.D. (1978) Decapoda of the Snares Islands, New Zealand. *New Zealand Journal of Marine and Freshwater Research* 12: 205–209.
- Fenwick, G.D., Horning, D.S. (1980) Echinodermata of The Snares islands, southern New Zealand. *New Zealand Journal of Marine and Freshwater Research* 14: 437– 445.
- Ferdinand E.V.S., Shaughnessy, P.D., Gales, N.J., Dennis, T.E., Goldsworthy, S.D. (1994) Distribution and abundance of New Zealand fur seals, *Arctocephalus forsteri*, in South Australia and Western Australia. *Wildlife Research* 21: 667–695.
- Fleming, C.A. (1955) Bibliography of New Zealand oceanography. *New Zealand Oceanographic Institute Memoirs* 19 p.
- Foggo, M.N.; Hitchmough, R.A.; Dougherty, C.H. (1997) Systematic and conservation implications of geographic variation in pipits in New Zealand and some offshore islands. *Ibis* 139: 366-373.
- Forest, J. (1951) Contribution a Petude du Genru. *Bulletin of the Museum of Natural History* 23(2): 181-186.
- Forest, J., de Saint Laurent, M., McLaughlin, P.A., Lemaitre, R. (2000) The marine fauna of New Zealand: Paguridea (Decapoda: Anomura). *NIWA Biodiversity Memoir* 114.
- Forrest, B., Taylor, M., Hay, C. (1997) Foreign marine species in New Zealand: towards a risk assessment management model. Cawthron Report No. 424, Cawthron Institute, Nelson.
- Foster, B.A. (1978) The marine fauna of New Zealand: barnacles (Cirripedia: Thoracica). *New Zealand Oceanographic Institute Memoir* 69.
- Francis, M.P. (1996) Geographic distribution of marine reef fishes in the New Zealand region. *New Zealand Journal of Marine and Freshwater Research* 30: 35-55.
- Francis, M. P., Duffy, C. (2002) Distribution, seasonal abundance and bycatch of basking sharks (*Cetorhinus maximus*) in New Zealand, with observations on their winter habitat. *Marine Biology* 140(4): 831-842.
- Francis, M.P., Hurst, R.J., McArdle, B.H., Bagley, N.W., Anderson, O.F. (2002) New Zealand demersal fish assemblages. *Environmental Biology of Fishes* 65: 215–234.
- Fraser, C. (1986) Beyond the Roaring Forties: New Zealand's Subantarctic Islands. Government Printing Office, Wellington, New Zealand.
- Froude, V. (2000) Review of New Zealand and a selection of international marine environment classification systems and spatial frameworks. <http://www.environment.govt.nz/info/froude/marine-class/> 12 May 2004.
- Gales, N. (1995) Hooker's sea lion recovery plan (*Phocarcos hookeri*). Threatened Species Recovery Plan Series No. 17. Department of Conservation, Wellington, New Zealand.
- Gales, N. J., Mattlin, R. H. (1997) Summer diving behaviour of lactating New Zealand sea lions, *Phocarcos hookeri*. *Canadian Journal of Zoology* 75 (10): 1695-1706.
- Gales, N., Fletcher, D.J. (1999) Abundance, distribution and status of the New Zealand sea lion, *Phocarcos hookeri*. *Wildlife Research* 26: 35–52.

- Gales, N.J. (1995) New Zealand (Hooker's) Sea Lion Recovery Plan. Threatened Species Recovery Plan Series 17. Department of Conservation, Wellington.
- Gales, R. (1998) Albatross populations: status and threats. *In*: Robertson, G., Gales, R. (eds.) Albatross biology and conservation, pp. 20-45. Surrey Beatty & Sons, Chipping Norton.
- Gamble, J.A., Morris, P.A., Adams, C.J. (1986) The geology, petrology and geochemistry of Cenozoic volcanic rocks from the Campbell Plateau and Chatham Rise. *The Royal Society of New Zealand Bulletin* 23: 344–365.
- Garner, D.M. (1959) The Subtropical Convergence in New Zealand waters. *New Zealand Journal of Geology and Geophysics* 2: 315–337.
- Garner, D.M. (1967) Hydrology of the south-east Tasman Sea. *New Zealand Oceanographic Institute Memoirs* 40.
- Garner, D.M. (1970) Hydrological studies in the New Zealand region 1966 and 1967. Oceanic hydrology north-west of New Zealand. Hydrology of the north-east Tasman Sea. *New Zealand Oceanographic Institute Memoirs* 49 p.
- Gibb, J.G. (1978) Rates of coastal erosion and accretion in New Zealand. *New Zealand Journal of Marine and Freshwater Research* 12: 429-459.
- Gill, B.J. (1998) Prehistoric breeding sites of New Zealand sea lions (*Phocarctos hookeri*, Carnivora: Otariidae) at North Cape. *Records of Auckland Museum* 35: 55–64.
- Glasby, G.P. (1986) Marine minerals in the Pacific. *Oceanography and Marine Biology, an Annual Review* 24: 11–64.
- Glasby, G.P., Exon, N.F., Meylan, M.A. (1986) Manganese nodules in the SW Pacific. *In*: Sedimentation and mineral deposits in the Southwestern Pacific Ocean. Cronan, D.S. (ed) Academic Press, London.
- Glasby, G.P., Hubred, G.L. (1976) Comprehensive bibliography of marine manganese nodules. *New Zealand Oceanographic Institute No. 71*. 55 p.
- Glasby, G.P., Wright, I.C. (1990) Marine mineral potential in New Zealand's exclusive economic zone. *Marine Mining* 9: 403–427.
- Government of New Zealand (1997) Nomination of the New Zealand Subantarctic Islands by the Government of New Zealand for Inclusion in the World Heritage List. Wellington, New Zealand.
- Grange, K.R. (1990) Macrobenthic communities of the New Zealand continental shelf. NZOI Investigation No. S3050/36. New Zealand Oceanographic Institute, Wellington, New Zealand.
- Greene, Terry C. (1999) Aspects of the ecology of Antipodes Island Parakeet (*Cyanoramphus unicolor*) and Reischek's Parakeet (*C. novaezelandiae hochstetteri*) on Antipodes Island, October - November 1995. *Notornis* 46 (2) : 301-310.
- Gregory, M.R. (1987) Plastics and other seaborne litter on the shores of New Zealand's Subantarctic Islands. *New Zealand Antarctic Records* 32-47.
- Grove, S.L., Probert, P.K. (1998) Bycatch of megabenthic invertebrates from bathyal trawl fisheries off southern and eastern New Zealand. *NIWA Technical Report* 13.
- Hanchet, S.M. (1991) Southern blue whiting fishery assessment for the 1991–92 fishing year. New Zealand Fisheries Assessment Research Document 91/7. 48 p. (Draft report held in NIWA library, Wellington.)

- Hanchet, S.M. (1999) Stock structure of southern blue whiting (*Micromesistius australis*) in New Zealand waters. *New Zealand Journal of Marine and Freshwater Research* 33 (4): 599–610.
- Hanchet, S.M. (2002) Southern blue whiting (*Micromesistius australis*) stock assessment for the Bounty Platform for 2002 and 2003. New Zealand Fisheries Assessment Report 2002/53. 23 p.
- Hanchet, S.M., Bull, B., Bryan, C. (2000) Diel variation in fish density estimates during acoustic surveys of southern blue whiting. New Zealand fisheries assessment report; 2000/16. Ministry of Fisheries, Wellington, New Zealand.
- Hanchet, S.M., Chatterton, T.D., Cordue, P.L. (1994) Acoustic biomass estimates of southern blue whiting (*Micromesistius australis*) from the Bounty Platform, Pukaki Rise, and Campbell Island Rise, August-September 1993. [Wellington, N.Z.] : MAF Fisheries, N.Z. Ministry of Agriculture and Fisheries, [1994] (New Zealand fisheries assessment research document ; 94/23)
- Hanchet, S.M., Grimes, P.J. (2000) Acoustic biomass estimates of southern blue whiting (*Micromesistius australis*) from the Campbell Island Rise and Pukaki Rise, September 2000. Wellington [N.Z.] : Ministry of Fisheries, 2001. (New Zealand fisheries assessment report, 2001/58)
- Hanchet, S.M., Grimes, P.J., Bull, B. (2000) Acoustic biomass estimates of southern blue whiting (*Micromesistius australis*) from the Campbell Island Rise, September 1998. Wellington, N.Z: Ministry of Fisheries, 2000. (New Zealand fisheries assessment report, 2000/9)
- Hanchet, S.M., Grimes, P.J., Coombs, R.F. (2002) Acoustic biomass estimates of southern blue whiting (*Micromesistius australis*) from the Bounty Platform, August 2001. New Zealand Fisheries Assessment Report 2002/58. 35 p.
- Hanchet, S.M., Grimes, P.J., Dunford, A., Ricnik, A. (2002) Classification of fish marks from southern blue whiting acoustic surveys. Final Research Report for MFish Research Project SBW2000/02 Objective 2. 55 p.
- Hanchet, S.M., Haist, V., Fournier, D. (1998) An integrated assessment of southern blue whiting (*Micromesistius australis*) from New Zealand waters using separable Sequential Population Analysis. In Funk, F. et al. (eds). Alaska Sea Grant College Program Report No. AK-SG-98-01. University of Alaska, Fairbanks, 1998.
- Hanchet, S.M., Ingerson, J.K.V. (1996) Acoustic biomass estimates of southern blue whiting (*Micromesistius australis*) from the Bounty Platform, Pukaki Rise, and Campbell Island Rise, August-September 1994 / Wellington [N.Z.] : Ministry of Fisheries. (New Zealand fisheries assessment research document;1996/3).
- Hanchet, S.M., Renwick, J.A. (1999) Prediction of southern blue whiting (*Micromesistius australis*) year class strength in New Zealand waters. New Zealand Fisheries Assessment Research Document 99/51. 24 p. (Draft report held in NIWA library, Wellington.)
- Harcourt, R.G. (2001) Advances in New Zealand mammalogy 1990-2000: pinnipeds. *Journal of the Royal Society of New Zealand* 31: 135–160.
- Harcourt, R.G., Bradshaw, C.J.A., Dickson, K., Davis, L.S. (2002) Foraging ecology of a generalist predator, the female New Zealand fur seal. *Marine Ecology Progress Series* 227: 11–24.
- Hay, C. (1979) A phytogeographical account of the southern bull kelp seaweeds *Durvillaea* spp. Bory 1826. (Durvilleales Petrov 1965). Proceedings of the International Symposium on Marine Biogeography and Evolution in the Southern Hemisphere. *New Zealand DSIR Information Series* 137.

- Hay, C.H., Adams, N.M., Parsons, M.J. (1985) Marine algae of the subantarctic islands of New Zealand. *National Museum of New Zealand Miscellaneous Series Number 11*.
- Heath, R.A. (1975) Oceanic circulation and hydrology off the southern half of South Island, New Zealand. *New Zealand Oceanographic Institute Memoirs* 36 p.
- Heath, R.A. (1981) Oceanic fronts around southern New Zealand. (1981) Deep-Sea Research, Part A: Oceanographic Research Papers, 28 (6 A Pt A), pp. 547-560.
- Heath, R.A. (1985) A review of physical oceanography of the seas around New Zealand – 1982. *New Zealand Journal of Marine and Freshwater Research* 19: 79–124.
- Heath, R.A. (1985) A review of the physical oceanography of the seas around New Zealand 1982. *New Zealand Journal of Marine and Freshwater Research* 19: 79-124.
- Heath, R.A., Bradford, J.M. (1980) Factors affecting phytoplankton production over the Campbell Plateau, New Zealand. *Journal of Plankton Research* 2: 169–181.
- Higham, T. (1991) *New Zealand's Subantarctic Islands: a Guide Book*. Department of Conservation, Southland Conservancy, Invercargill, New Zealand.
- Hitchmough, R.A. (2002) *New Zealand threat classification systems list 2002*. Department of Conservation. Threatened Species Occasional Publication 23, Wellington.
- Holdaway, R.N., Worthy, T.H., Tennyson, A.J.D. (2001) A working list of breeding bird species of the New Zealand region at first human contact. *New Zealand Journal of Zoology* 28 (2): 119-187.
- Horn, P.L. (2001) A descriptive analysis of commercial catch and effort data for ling from New Zealand waters. *New Zealand Fisheries Assessment Report 2001/2*.
- Horning, D.S. (1982) Littoral barnacles of The Snares islands, southern New Zealand (Cirripedia: Thoracica). *New Zealand Journal of Zoology* 9: 319–324.
- Horning, D.S. (1986) 1978 expedition to the Bounty and Antipodes Islands, New Zealand. Macleay Museum University of Sydney, 1986 Sydney, [N.S.W.]
- Horning, D.S., Horning, C.J. (1975) The University of Canterbury terrestrial and marine invertebrate research programme of the Auckland Islands Expedition 1972–73. *In: Preliminary results of the Auckland Islands Expedition 1972–1973*. Yaldwyn, J.C. (ed) Department of Lands and Survey.
- Houtman, T.J. (1967) Water masses and fronts in the Southern Ocean south of New Zealand. *New Zealand Oceanographic Institute Memoirs* 39 p. + map.
- Huin, N. (2002) Foraging distribution of the black-browed albatross, *Thalassarche melanophris*, breeding at the Falkland Islands. *Aquatic Conservation: Marine and Freshwater Ecosystems* 12: 89–99.
- Hurley, D.E., Jansen, K.P. (1977) The marine fauna of New Zealand: Family Sphaeromatidae (Crustacea Isopoda: Flabellifera). *New Zealand Oceanographic Institute Memoir* 63.
- Hurst, M. (1983) Erebus Cove Archaeological Site Survey, Auckland Islands. February - March, 1982. *Journal of the Polynesian Society* 2:1893.
- Hurst, R.J., Bagley, N.W., Anderson, O.F., Francis, M.P., Griggs, L.H., Clark, M.R., Paul, L.J., Taylor, P.R. (2000) Atlas of juvenile and adult fish and squid distributions from bottom and midwater trawls and tuna longlines in New Zealand waters. *NIWA Technical Report 84*. 162 p.

- Hurst, R.J., Bagley, N.W., Uozumi, Y. (1990) New Zealand-Japan trawl survey of shelf and upper slope species off southern New Zealand, June 1986. [edited by G.G. Baird] MAF Fisheries, 1990 (New Zealand fisheries technical report ; no. 18. Ministry of Fisheries, Wellington, New Zealand.
- Imber, M.J. (1992) Cephalopods eaten by wandering albatrosses *Diomedea exulans* breeding at six circumpolar localities. *Royal Society of New Zealand* 22(4): 243-263.
- Imber, M. J. (1999) Diet and feeding ecology of the Royal Albatross *Diomedea epomophora* - King of the shelf break and inner slope. *Emu* 99 (3) : 200-211 Sept. 1999
- Ingerson, J.K.V., Hanchet, S.M. (1995) Catch per unit effort (CPUE) analysis of the Campbell Island Rise southern blue whiting (*Micromesistius australis*) trawl fishery from 1986 to 1994. Auckland [N.Z.] : Ministry of Fisheries, 1995 (New Zealand fisheries assessment research document ; 95/21).
- Ingerson, J.K.V., Hanchet, S.M. (1996) Acoustic biomass estimates of southern blue whiting (*Micromesistius australis*) from the Bounty Platform, Pukaki Rise, Auckland Islands Shelf, and Campbell Island Rise, August-September 1995. Wellington [N.Z.] : Ministry of Fisheries, [1996] (New Zealand fisheries assessment research document ; 96/18).
- Jackson, G.D.; McKinnon, J.F. (1996) Beak length analysis of arrow squid *Nototarus sloanii* (Cephalopoda: Ommastrephidae) in southern New Zealand waters. *Polar Biology* 16 (3): 229-230.
- Jackson, Keith L., Nelson, Joseph S. (1999) *Ambopthalmos eurystigmatophoros*: A new species of fathead sculpin (Scorpaeniformes: Psychrolutidae) from New Zealand. *Copeia* 199 (2): 428-433.
- Jacob, W., McClatchie, S., Probert, P.K., Hurst, R.J. (1998) Demersal fish assemblages off southern New Zealand in relation to depth and temperature. *Deep-Sea Research Part I* 45: 2119–2155.
- James, G.D., Stahl, J.C. (2000) Diet of southern Buller's albatross (*Diomedea bulleri bulleri*) and the importance of fishery discards during chick rearing. *New Zealand Journal of Marine and Freshwater Research* 34: 435-454.
- Jennings, S., Dinmore, T.A., Duplisea, D.E., Warr, K.J., Lancaster, J.E., (2001) Trawling disturbance can modify benthic production processes. *Journal of Animal Ecology* 70 (3): 459.
- Jennings, S., Kaiser, M.J. (1998) The effects of fishing on marine ecosystems. *Advances in Marine Biology* 34: 201–352.
- Jennings, S., Pinnegar, J.K., Polunin, V.C., Warr, K.J., (2001) Impacts of trawling disturbance on the trophic structure of benthic invertebrate communities. *Marine Ecology Progress Series* 213: 127-142.
- Johnson, K.A. (1975) Observations on the marine algae of the Auckland Islands. Pp. 50-54 in Yaldyn, J.C. (Ed): Preliminary results of the Auckland Islands expeditions 1972-1973. New Zealand Department of Lands and Survey.
- Jones, J.B. (1992) Environmental impact of trawling on the seabed: a review. *New Zealand Journal of Marine and Freshwater Research* 26: 59–67.
- Kaiser, M.J., Ramsay, K., Richardson, C.A., Spence, E., Brand, A.R., (2000) Chronic fishing disturbance has changes shelf sea benthic community structure. *Journal of Animal Ecology* 69(3): 494.
- Kamp, P.J.J. (1986) Late Cretaceous-Cenozoic tectonic development of the Southwest Pacific region. *Tectonophysics* 121: 225–251.

- Kato, M., Mitani, I. (2001) Comparison of catch, CPUE, and sea surface temperature in the fishing ground between good and poor fishing years for the squid jigging fishery target New Zealand southern arrow squid *Nototodarus sloanii* in New Zealand waters. *Bulletin of the Kanagawa Prefecture Fisheries Research Institute* 6: 35–45.
- Killops, S.D., Cook, R.A., Sykes, R., Boudou, J.P. (1997) Petroleum potential and oil source correlation in the Great South and Canterbury Basins. *New Zealand Journal of Geology and Geophysics* 40: 405–423.
- King, K., Bailey, K.; Clark, M. (1985) Coastal and marine ecological areas of New Zealand. Department of Lands and Survey, Wellington, New Zealand.
- King, P.R., Cook, R.A., Filed, B.D., Funnell, R.H., Killops, S.D., Sykes, R. (1998) Petroleum systems of the Taranaki, East Coast, and Great South Basins: some key elements. 1998 Petroleum Conference Proceedings. Ministry of Commerce.
- Kingsford, M.J.; Schiel, D.R.; Battershill, C.N. (1989) Distribution and abundance of fish in a rocky reef environment at the subantarctic Auckland Islands, New Zealand. *Polar Biology* 9: 179–186.
- Knox, G.A. (1960) Littoral ecology and biogeography of the southern oceans. *Proceedings of the Royal Society, Series B* 152: 577–624.
- Knox, G.A. (1963) The biogeography and intertidal ecology of the Australasian coasts. *Oceanography and Marine Biology. An Annual Review* 1: 341–404.
- Knox, G.A. (1977) The role of polychaetes in benthic soft-bottom communities. In *Essays on polychaetous annelids in memory of Dr Olga Hartman*, pp. 547–604. Reish, D.J., Fauchald, K. (eds) Allan Hancock Foundation, University of Southern California, Los Angeles.
- Knox, G.A. (1987) Littoral ecology of the subantarctic region: with special reference to the New Zealand Subantarctic Islands. *Comité National Français de Recherches Antarctiques* 57: 47–49.
- Knox, G.A. (2000) *The ecology of seashores*. CRC Press, Boca Raton. Korniker, L.S. (1979) The marine fauna of New Zealand: benthic ostracoda (suborder Myodocopina). *New Zealand Oceanographic Institute Memoir* 61.
- Koslow, A.J., Gowlett-Holmes, K. (1997) The seamount fauna off southern Tasmania: benthic communities, their conservation and impacts of trawling. Final report to Environment Australia and the Fisheries Development Research Corporation. FRDC Project 95/058.
- Koslow, J.A., Gowlett-Holmes, K., Lowry, J.K., O'Hara, T., Poore, G.C.B., Williams, A. (2001) Seamount benthic macrofauna off southern Tasmania: community structure and impacts of trawling. *Marine Ecology Progress Series* 213: 111–125.
- Krause, D.C. (1966) Geology and geomagnetism of the Bounty region east of the South Island, New Zealand. *New Zealand Oceanographic Institute Memoirs* 32 p. + maps.
- Krause, D.C. (1967) Bathymetry and geologic structure of the north-western Tasman Sea–Coral Sea–South Solomon Sea area of the South-western Pacific Ocean. *New Zealand Oceanographic Institute Memoirs* 48 p. + maps.
- Krebs, B.N. (1964) A bibliography of the oceanography of the Tasman and Coral Seas 1860–1960. *New Zealand Oceanographic Institute Memoirs* 27 p.
- Laing, R.M. (1909) The marine algae of the Subantarctic Islands of New Zealand. Pp. 493–527 in Chilton, C. (Ed): *The Subantarctic Islands of New Zealand Volume 2*. Government Printer, Wellington, New Zealand.

- Laing, R.M. (1927) A reference list of marine algae. Transactions and Proceedings of the New Zealand Institute 57: 126-185.
- Laws, R.M. (1994) History and present status of southern elephant seal populations. *In*: Elephant seals: population ecology, behavior, and physiology. Le Boeuf, B.J., Laws, R.M. (eds) University of California Press, Berkeley.
- Lewis, V.J. (1977) Bibliography of New Zealand submarine geology 1866–1969. *New Zealand Oceanographic Institute Memoirs*.
- Livingston, M. E., Schofield, K. A. (1996) Stock discrimination of hoki (*Macruronus novaezelandiae*, Merlucciidae) in New Zealand waters using morphometrics. *New Zealand Journal of Marine and Freshwater Research* 30 (2): 197-208 1996
- Livingston, M.E., Bull, B. (2000) The proportion of female hoki developing to spawn on the Southern Plateau, April 1998. *New Zealand Fisheries Assessment Report* 2000/13. 20 p.
- Livingston, M.E., Schofield, K.A. (1996) Annual changes in the abundance of hoki and other species on the Chatham Rise, Jan 1992-Jan 1995 and the Southern Plateau, Dec 1991-Dec 1993. *N.Z. Fisheries Assessment Research Document* 96/14. 35 p.
- Lowry, J.K., Fenwick, G.D. (1982) Rakiroa, a new amphipod genus from The Snares, New Zealand (Gammaridea, Corophiidae). *Journal of Natural History* 16: 119-125.
- Lowry, J.K.; Fenwick, G.D. (1983) Shallow-water gammaridean Amphipoda of the subantarctic islands of New Zealand and Australia: Melitidae. *Journal of the Royal Society of New Zealand* 13(4): 247-250.
- Lowry, J.K.; Soddart, H.E. (1983) Shallow-water gammaridean Amphipoda of the subantarctic islands of New Zealand and Australia: Lysianassoidea. *Journal of the Royal Society of New Zealand* 13(4): 279-394.
- Luckens, P.A. (1991) Distribution, growth rate, and death from octopod and gastropod predation of *Tawera bollonsi* (Bivalvia: Veneridae) at the Auckland Islands. *New Zealand Journal of Marine and Freshwater Research* 25(3): 255-268.
- Main, W. de L. (1974) Distribution and ecology of *Nectocarcinus antarcticus* and *N. bennetti* (Brachyura: Portunidae) in the New Zealand region. *New Zealand Journal of Marine and Freshwater Research* 8: 15–38.
- Marchant, S., Higgins, P.J. (Co-ords) (1990) Handbook of Australian, New Zealand and Antarctic birds. Vol. 1: ratites to ducks; Part A: ratites to petrels. Oxford University Press, Melbourne, Australia. 735 p.
- Marcus, E. (1922) Papers from Dr. Th. Mortensen's Pacific Expedition 1914–16. *Saertryk af Vidensk. Medd. Fra Dansk naturh. Foren. Bd. 73*.
- Marris, J. W. M. (1998) Report on invertebrates collected from the Bounty Islands, 1997/8. Report for the Department of Conservation, Southland Conservancy.
- Marris, J. W. M. (1999) Invertebrates. P 54-57. *In*: O'Connor, T. (ed.) *New Zealand's subantarctic islands*. Reed, Auckland.
- Marris, J. W. M. (2000) The beetle (Coleoptera) fauna of the Antipodes Islands, with comments on the impact of mice; and an annotated checklist of the insect and arachnid fauna. *Journal of the Royal Society of New Zealand* 30(2): 169-195.
- Marshall, B. A. (1996) Molluscan name-bearing types in the Museum of New Zealand Te Papa Tongarewa. *Tuhinga: Records of the Museum of New Zealand Te Papa Tongarewa* 9: 1-85.

- Mattlin, R.H. (1995) Attendance patterns and foraging range of female New Zealand fur seals. WWF-NZ Final Report.
- Mattlin, R.H., Scheibling, R.E., Forch, E.C. (1985) Distribution, abundance and size structure of arrow squid (*Nototodarus* sp.) off New Zealand. *NAFO Science Council Studies* 9: 39–45.
- McCann, C., McKnight, D.G. (1980) The marine fauna of New Zealand: Macrourid fishes (Pisces: Gadida). *New Zealand Oceanographic Institute Memoir* 82.
- McClatchie, S., Macaulay, G., Hanchet, S., Coombs, R.F. (1998) Target strength of southern blue whiting (*Micromesistius australis*) using swimbladder modelling, split beam and deconvolution. *ICES Journal of Marine Science* 55: 482–493.
- McClatchie, S., Millar, R. B., Webster, F., Lester, P. J., Hurst, R., Bagley, N. (1997) Demersal fish community diversity off New Zealand: Is it related to depth, latitude and regional surface phytoplankton? *Deep-Sea Research I* 44 (4): 647–667.
- McClatchie, S., Thorne, R., Grimes, P.J., Hanchet, S. (2000) Ground truth and target identification for fisheries acoustics. *Fisheries Research* 47: 173–191.
- McClay, C.L. (1988) Brachyura and crab-like Anomura of New Zealand. *Leigh Laboratory Bulletin No. 22*.
- McClelland, P. (2001) Antipodes Island Expedition October–November 1995. Dept. of Conservation, Southland Conservancy, Invercargill, N.Z.
- McConkey, S.D., McConnell, H., Lalas, C., Heinrich, S., Ludmerer, A., McNally, N., Parker, E., Borofsky, C., Schimanski, K., McIntosh, G. (2002) A northward spread in the breeding distribution of the New Zealand sea lion *Phocarctos hookeri*. *Australian Mammology* 24: 97–106.
- McConnell, B., Fedak, M., Burton, H.R., Engelhard, G.H., Reijnders, P.J.H. (2002) Movements and foraging areas of naïve, recently weaned southern elephant seal pups. *Journal of Animal Ecology* 71: 65–78.
- McDougall, J.C., Brodie, J.W. (1967) Sediments of the western shelf, North Island, New Zealand. *New Zealand Oceanographic Institute Memoirs* 54 p.
- McGlone, M.S. (2002) The Late Quaternary peat, vegetation and climate history of the southern oceanic islands of New Zealand. *Quaternary Science Reviews* 21: 683–707.
- McKerchar, N.D.R., Devine, W.T. (1982) The Campbell Islands story : the management challenge of sub-Antarctic islands. Wellington, N.Z. : National Parks & Reserves Directorate, Dept. of Lands & Surveys.
- McKnight, D. G., Clark, H. E. S. (1996) *Enigmaster scalaris*, n. gen., n. sp., a puzzling sea-star (Echinodermata, Asteroidea) from the Auckland Islands. *Journal of the Royal Society of New Zealand* 26 (2): 205–214.
- McKnight, D.G. (1969) An outline distribution of the New Zealand shelf fauna. NZOI Memoirs No. 17. New Zealand Oceanographic Institute, Wellington, New Zealand.
- McKnight, D.G. (1969) Infaunal benthic communities of the New Zealand continental shelf. *New Zealand Journal of Marine and Freshwater Research* 3: 409–444.
- McKnight, D.G. (2000) The marine fauna of New Zealand: basket-stars and snake-stars (Echinodermata: Ophiuroidea: Euryalinida). *NIWA Biodiversity Memoir* 115.
- McKnight, D.G. (2001) The marine fauna of New Zealand: Echinodermata: Asteroidea (sea-stars) Order Notomyotida. *NIWA Biodiversity Memoir* 116.

- McKnight, D.G.; Clark, H.E.S. (1996) *Enigmaster salaris*, n.gen., n.sp., a puzzling sea-star (Echinodermata, Asteroidea) from the Auckland Islands. *Journal of the Royal Society of New Zealand* 26(2): 205-214.
- McNally, N. (2001) New Zealand sea lion abundance, demographics and movements in southern New Zealand. Unpublished MSc thesis from University of Otago, Dunedin, New Zealand. 77 p.
- McNally, N., Heinrich, S., Childerhouse, S. (2001) Distribution and breeding of New Zealand sea lions *Phocarcos hookeri* on Campbell Island. *New Zealand Journal of Zoology* 28: 79–87.
- Meurk, C.D. (1984) Bioclimatic zones for the Antipodes – and beyond? *New Zealand Journal of Ecology* 7: 175-181.
- Millar, R.H. (1982) The marine fauna of New Zealand: Ascidiacea. *New Zealand Oceanographic Institute Memoir* 85.
- Mitchell, S.J. (1984) Feeding of ling *Genypterus blacodes* (Bloch & Schneider) from 4 New Zealand offshore fishing grounds. *New Zealand Journal of Marine and Freshwater Research* 18: 265-274.
- Mitchell, J.S, Carter, L., McDougall, J.C. (1989) New Zealand regional sediments 1:6,000,000. New Zealand Oceanographic Institute Chart Miscellaneous Series No. 67.
- Mlandenov, P.V. (1993) Management of New Zealand's Marine Protected Areas. Fifth Annual Colloquium of the Spatial Information Resource Centre, May 17-19. University of Otago, Dunedin, New Zealand.
- Molloy, J., A. Davies, A. (1994) Setting priorities for the conservation of New Zealand's threatened plants and animals. Department of Conservation, Wellington.
- Molloy, L.F., Dingwall, P.R. (1990) World Heritage Values of New Zealand Islands, in Towns D.R., Daugherty C.H. and Atkinson I.A.E. (eds) Ecological restoration of New Zealand islands. Conservation Sciences Publication No. 2. Department of Conservation, Wellington.
- Moore, L.B. (1949) The marine algal provinces of New Zealand. *Transactions of the Royal Society of New Zealand* 77(5): 187-189.
- Moore, L.B. (1961) Distribution patterns in New Zealand seaweeds. *Tuatara* 9(1): 18–23.
- Moore, P.J., Fletcher, D., Amey, J. (2001) Population estimates of Yellow-eyed Penguins, *Megadyptes antipodes*, on Campbell Island, 1987-98. *Emu* 101(3): 225-236.
- Moore, P.J. (1990) Population survey of yellow-eyed penguins on the Auckland Islands. Science and Research Internal Report No. 73.
- Moore, P.J. (2002) Counting mollymawks on Campbell Island : data supplements. Wellington, N.Z. : Dept. of Conservation, 2002. (Science & Research internal report ; 192).
- Moore, P.J., Blezard, R. (1999) Counting Campbell Island mollymawk colonies from photographs: data supplements. Wellington, N.Z. : Dept. of Conservation, 1999 (Science and Research internal report ; 169).
- Moore, P.J., Moffat, R.D. (1990) Mollymawks on Campbell Island / by Wellington, N.Z. : Head Office, Dept. of Conservation, [1990] (Science and Research internal report ; no. 59)
- Moore, P.J., Scott, J.J., Joyce, L.J., Peart, M. (1997) Southern royal albatross *Diomedea epomophora epomophora* census on Campbell Island, 4 January – 6 February 1996,

and a review of population figures. Science and research series 101. Department of Conservation, Wellington. 27p.

- Moore, P.J., Taylor, G.A., Amey, J.M. (1997) Interbreeding of black-browed albatross *Diomedea m. melanophris* and New Zealand black-browed albatross *D. m. impavida* on Campbell Island. *Emu* 97: 322-324.
- Morley, M.S. (1993) Marine molluscs of the Auckland and Campbell Islands southern New Zealand. *Poirieria* 17: 1-24.
- Morris, M., Stanton, B., Neil, H. (2001) Subantarctic oceanography around New Zealand: preliminary results from an ongoing survey. *New Zealand Journal of Marine and Freshwater Research*, 35: 499-519.
- Morton, J.E. (1973) The sea-shore. In: The natural history of New Zealand. An ecological survey. G.R. Williams (ed) A.H. & A.W. Reed, Wellington.
- MSA (2001) Review of the voluntary vessel routeing code for shipping in New Zealand coastal waters.
www.msa.govt.nz/Publications/publications/vesselrouteing.pdf 12 May 2004.
- Murphy, R.J., Pinkerton, M.H., Richardson, K.M., Bradford-Grieve, J.M., Boyd, P.W. (2001) Phytoplankton distributions around New Zealand derived from SeaWiFS remotely-sensed ocean colour data. *New Zealand Journal of Marine and Freshwater Research* 35: 343–362.
- Nelson, W.A. (1993) Epiphytic species of *Porphyra* (Bangiales, Rhodophyta) from New Zealand. *Botanica Marina* 36: 525–534.
- Nelson, W.A. (1994) Distribution of macroalgae in New Zealand – an archipelago in space and time. *Botanica Marina* 37: 221–233.
- Nelson, W.A. (1999) *Marginariella parsonsii* sp. nov. (Seirococcaceae, Phaeophyta), a new species from the Bounty and Antipodes Islands, southern New Zealand. *New Zealand Journal of Botany* 37: 731–735.
- Newton, J.R. (1980) Antipodes Island Nature Reserve. Unpublished Thesis (Dip. P.R.) Lincoln College, Canterbury, New Zealand. pp.86.
- Nicholls, D. G., Robertson, C. J. R., Prince, P. A., Murray, M.D., Walker, K.J., Elliott, G.P. (2002) Foraging niches of three *Diomedea* albatrosses. *Marine Ecology Progress Series* 231: 269-277.
- Nozumi, Y.; Forch, E. (1995) Distribution of juvenile arrow squids *Nototodarus gouldi* and *N. sloanii* (Cephalopoda: Oegopsida) in New Zealand waters. *Fisheries Science* 61(4): 566-573.
- O'Connor, T. (ed.) (1999) New Zealand Subantarctic Islands. Reed Books, New Zealand.
- O'Shea, S. (1999) The marine fauna of New Zealand: Octopoda (Mollusca: Cephalopoda). *NIWA Biodiversity Memoir* 112.
- O'Driscoll, R.L., Bagley, N.W. (2001) Review of summer and autumn trawl survey time series from the Southland and Sub-Antarctic area 1991–98. NIWA Technical Report 102. 115 p.
- Oliver, R.L., Finlay, H.J., Fleming, C.A. (1950) The geology of Campbell Island. *Cape Expedition Series, Bulletin*, 3: 1 map + 62 pp., DSIR, Wellington, New Zealand.
- Pantin, H.M. (1972) Internal structure in marine shelf, slope, and abyssal sediments east of New Zealand. *New Zealand Oceanographic Institute Memoirs* 53 p.

- Papenfuss, G.F. (1964) Catalogue and bibliography of Antarctic and Subantarctic benthic marine algae. Antarctic Research Series No. 1.
- Parliamentary Commissioner for the Environment (2000) New Zealand under siege: a review of the management of biosecurity risks to the environment. Wellington. Background papers are available on the PCE website: <http://www.pce.govt.nz>
- Parsons, M.J. (1985) New Zealand seaweed fauna and its relationships. *New Zealand Journal of Marine and Freshwater Research* 19: 131–138.
- Patenaude, N.J., Baker, C.S. (2001) Population status and habitat use of southern right whales in the sub-Antarctic Auckland Islands of New Zealand. *Journal of Cetacean Research and Management Special Issue* (Special Issue 2): 111-116.
- Patenaude, N.J., Todd, B., Stewart, R. (2001) A note on movements of southern right whales between the sub-Antarctic Auckland and Campbell Islands. *New Zealand Journal of Cetacean Research and Management* (Special Issue 2):121-123.
- Patenaude, N.J.; Baker, C.S. (2001) Population status and habitat use of southern right whales in the subantarctic Auckland Islands of New Zealand. *Journal of Cetacean Research and Management* (Special Issue 2): 111-116.
- Patenaude, N.J.; Baker, C.S.; Gales, N.J. (1998) Observations of southern right whales on New Zealand's subantarctic wintering grounds. *Marine Mammal Science* 14(2): 350-355.
- Paulin, C.; Roberts, C. (1992) Bibliography of New Zealand rockpool fishes. Proceedings of the Second International Temperate Reef Symposium, 7-10 January 1992, Auckland, New Zealand.
- Paulin, C.; Roberts, C. (1992) The rockpool fishes of New Zealand. National Museum of New Zealand, Wellington, New Zealand. 177p.
- Pawson, D.L. (1961) Distribution patterns of New Zealand echinoderms. *Tuatara* 9(1): 9–18.
- Pawson, D.L. (1968) The echinozoan fauna of the New Zealand subantarctic islands, Macquarie Island, and the Chatham Rise. *New Zealand Oceanographic Institute Memoir* 42. 33 p.
- Pawson, D.L. (1970) The marine fauna of New Zealand: sea cucumbers (Echinodermata: Holothuroidea). *New Zealand Oceanographic Institute Memoir* 52.
- Pearson, A.R. (1998) The Great South Basin – Antrim International's exploration strategy. 1998 Petroleum Conference Proceedings. Ministry of Commerce.
- Peterson, D.B. (Ed) (1999) A New Zealand science strategy for Antarctica and the Southern Ocean: November 1998. Antarctica New Zealand Miscellaneous Series No. 4. Christchurch, New Zealand.
- Powell, A.W.B. (1951) Antarctic and subantarctic mollusca. *Discovery Reports* 26: 49–196.
- Powell, A.W.B. (1955) Mollusca of the southern islands of New Zealand. *Cape Expedition Series Bulletin No. 15*.
- Powell, A.W.B. (1961) New Zealand biotic provinces. *Tuatara* 9(1): 1–8.
- Powell, A.W.B. (1979) New Zealand mollusca. Collins Auckland.
- Probert, P.K., Grove, S.L., McKnight, D.G., Read, G.G. (1996) Polychaete distribution on the Chatham Rise, Southwest Pacific. *Int. Revue ges. Hydrobiol.* 81: 577–588.

- Probert, P.K., McKnight, D.G. (1993) Biomass of bathyal macrobenthos in the region of the Subtropical Convergence, Chatham Rise, New Zealand. *Deep-Sea Research* 40: 1003–1007.
- Probert, P.K., McKnight, D.G., Grove, S.L. (1997) Benthic invertebrate bycatch from a deep-water trawl fishery, Chatham Rise, New Zealand. *Aquatic conservation: marine and freshwater ecosystems* 7: 27–40.
- Pugh, P.J.A., Dartnall, H.J.G., McInnes, S.J. (2002) The non-marine Crustacea of Antarctica and the Islands of the Southern Ocean: Biodiversity and biogeography. *Journal of Natural History* 36 (9):1047-1103.
- Pugh, P.J.A., Scott, B (2002) Biodiversity and biogeography of non-marine Mollusca on the islands of the Southern Ocean. *Journal of Natural History* 36 (8):927-952.
- Punt, A.E. (1994) Assessments of the stock of southern blue whiting (*Micromesistius australis*) from the Campbell Island Rise / [Wellington, N.Z.] : MAF Fisheries, N.Z. Ministry of Agriculture and Fisheries, [1994] (New Zealand fisheries assessment research document; 94/12)
- Ralph, P.M., Squires, D.F. (1962) The extant scleractinian corals of New Zealand. *Zoological Publications from Victoria University of Wellington* 29.
- Reijnders, P., Brasseur, S., van der Toorn, J., van der Wolf, P., Boyd, I., Harwood, J., Lavigne, D., Lowry, L. (1993) Seals, fur seals, sea lions and walrus, status survey and conservation plan. IUCN/SSC Seal Specialist Group. International Union for Conservation of Nature and Natural Resources (IUCN), Gland.
- Reinhardt, K., Hahn, S., Peter, H.-U. (2000) A review of the diets of Southern Hemisphere skuas. *Marine Ornithology* 28 (1): 7-19.
- Ridgway, N.M. (1975) Hydrology of the Bounty Islands region. Govt. Printer, 1975. *New Zealand Oceanographic Institute Memoirs* 75. pp.27.
- Risebrough, R.W.; Walker, W.; Schmidt, T.T.; Delappe, B.W.; Connors, C.W. (1976) Transfer of chlorinated *biphenyls* to Antarctica. *Nature* 264: 738-739.
- Ritchie, L.D. (1970) Southern spider crab (*Jacquintia edwardsii*, Jacquinet 1853) survey: Auckland Islands and Campbell Island 30/1/70–23/2/70. Fisheries Technical Report No. 52. Marine Department, Wellington, New Zealand.
- Roberts, J.M., Harvey, S.M., Lamont, P.A., Gage, J.D., Humphery, J.D., (2000) Seabed photography, environmental assessment and evidence for deep-water trawling on the continental margin west of the Hebrides. *Hydrobiologia* 441(1): 173-183.
- Robertson, C.J.R. (1975) Report on the distribution, status and breeding biology of the royal albatross, wandering albatross and white-capped mollymawk on the Auckland Islands. *In: Preliminary results of the Auckland Islands Expedition 1972–1973*. Yaldwyn, J.C. (ed) Department of Lands and Survey.
- Robertson, C.J.R. (1980) Birds on Campbell Island. Preliminary reports of the Campbell Island Expedition 1975–76. Department of Lands and Survey, Wellington.
- Robertson, C.J.R., Bell, B.D. (1984) Seabird status and conservation in the New Zealand region. *In: Status and conservation of the world's seabirds*. Croxall, J.P, Evans, P.G.H., Schreiber, R.W. (eds.), ICBP Technical Publication No. 2. pp 573-586.
- Robertson, C.J.R., van Tets, G.F. (1982) The status of birds at the Bounty Islands. *Notornis* 29: 311-336.

- Robertson, D.R., Mito, S. (1979) Sea surface ichthyoplankton off southeastern New Zealand, summer 1977–78. *New Zealand Journal of Marine and Freshwater Research* 13: 415–424.
- Rogers, A.D. (1994) The biology of seamounts. *Advances in Marine Biology* 30: 305–350.
- Rowland H.T. (1996) Distribution, abundance and pup production of the New Zealand fur seal (*Arctocephalus forsteri* Lesson) at the Bounty Islands. Wellington, N.Z. : Dept. of Conservation, 1996 (Science for conservation (Wellington, N.Z.)).
- Royal Forest and Bird Protection Society. (1990) A marine mammal sanctuary proposal for Hookers sea lion around the Auckland Islands: Forest and Bird submission. Royal Forest and Bird Protection Society, Wellington, New Zealand.
- Russ, R. (1976) New Zealand sea lion, sea elephant, and fur seal census and habitat survey, Campbell Island group. Department of Lands and Survey preliminary reports of the Campbell Island expedition 1975-1976.
- Sagar, P. M., Molloy, J., Tennyson, A. J. D. , et al. (1994) Numbers of Buller's mollymawks breeding at the Snares Islands. *Notornis* 41(2): 85-92.
- Sagar, P.M., Stahl, J-C., Molloy, J., Taylor, G.A., Tennyson, A.J.D. (1999) Population size and trends within the two populations of southern Buller's albatross *Diomedea bulleri bulleri*. *Biological conservation* 89: 11-19.
- Schiel, D.R. (1990) Macroalgal assemblages in New Zealand: structure, interactions and demography. Pp. 59-76 in Chapman, A.R.O.; Underwood, A.J. (Eds): Determinants of structure in intertidal and subtidal macroalgal assemblages. International Phycological Congress Symposium, Melbourne, 18 August 1988.
- Schneider, J., Thiel, H. (1988) Environmental problems of deep-sea mining. pp. 222-228. Chapter 9 In: The Manganese Nodule Belt of the Pacific Ocean: Geological Environment, Nodule Formation, and Mining Aspects. Edited by P. Halbach, G. Friedrich and U. von Stackelberg. Ferdinand Enke Verlag Stuttgart.
<http://www.isa.org.jm/en/seabedarea/OtherMinerals/Chapter2.pdf>
- Sharma, R., Nath, B.N., Sankar, S.J. (2005) Monitoring the impact of simulated deep-sea mining in Central Indian Basin. *Marine Georesources and Geotechnology* 23(4): 339 - 356
- Shirihai, H. (2002) The complete guide to Antarctic wildlife. Birds and marine mammals of the Antarctic continent and the Southern Ocean. Princeton University Press, Princeton.
- Sinclair Knight Merz (2002) Development of a risk profile for new exotic marine organisms that may arrive in New Zealand via ship ballast water and hull fouling. Ministry of Fisheries.
- Smith, P.J. (1985) Distribution of two species of arrow squid (*Nototodarus*) around New Zealand. *Fisheries Research Division Occasional Publication* 49.
- Smith, P.J. (1999) Allozyme variation in scampi (*Metanephrops challengeri*) fisheries around New Zealand. *New Zealand Journal of Marine and Freshwater Research* 33 (3): 491-497 Sept. 1999
- Smith, P.J.; Francis, R.I.C.C. (1982) Glucosephosphate isomerase polymorphism in New Zealand ling *Genypterus blacodes*. *Comparative Biochemistry and Physiology* 73(3): 451-455.
- Smithers, C. N. (1999) *Sandropsocus clarki*, an unusual new genus and species of Elipsocidae (Insecta: Psocoptera) from the Bounty Islands. *Journal of the Royal Society of New Zealand* 29(2) : 159-164.

- Sorenson, J.H. (1950) Elephant seals of Campbell Island. *Cape Expedition Series Bulletin 6*. Department of Science and Industrial Research, Wellington. 31 p.
- South, G.R. (1979) Biogeography of benthic marine algae of the southern oceans. *New Zealand DSIR Information Series 137*.
- Spencer, H.G., Willan, R.C. (1995) The marine fauna of New Zealand: index to the fauna 3. Mollusca. *New Zealand Oceanographic Institute Memoir 105*.
- Stahl, J. C., Sagar, P.M. (2002) Why study the foraging patterns of non-breeding albatrosses? *Notornis 49*: 194
- Stewart, R., Todd, B. (2001) A note on observations of southern right whales at Campbell Island, New Zealand. *Journal of Cetacean Research and Management Special Issue (Special Issue 2)*: 117-120.
- Stuart, M.D. (2002) Translocation of *Undaria pinnatifida* by vessel fouling: Analysis of the Department of Conservation vessel monitoring database, May 1999 – May 2001. Ministry of Fish project ZBS2001-04. 55pp.
- Summerhayes, C.P. (1966) Oceanic Chart Series 1: 1,000,000 at Lat. 46° Pukaki bathymetry. Department of Scientific and Industrial Research, Wellington, New Zealand.
- Summerhayes, C.P. (1967) Island Chart Series 1: 200,000 at Lat. 50° Auckland Islands bathymetry. Department of Scientific and Industrial Research, Wellington, New Zealand.
- Summerhayes, C.P. (1967) Marine geology of the Auckland Islands area. *Transactions of the Royal Society of New Zealand, Geology 4(13)*: 235-244.
- Summerhayes, C.P. (1967) Oceanic Chart Series 1: 1,000,000 at Lat. 46° Auckland Islands bathymetry. Department of Scientific and Industrial Research, Wellington, New Zealand.
- Summerhayes, C.P. (1967) Oceanic Chart Series 1: 1,000,000 at Lat. 46° Campbell Island bathymetry. Department of Scientific and Industrial Research, Wellington, New Zealand.
- Summerhayes, C.P. (1969) Marine geology of the New Zealand subantarctic sea floor. *New Zealand Oceanographic Institute Memoir 50*. 92 p. + maps.
- Summerhayes, C.P. (1969) Marine geology of the New Zealand Subantarctic sea floor. NZDSIR Bulletin No. 190. New Zealand Department of Scientific and Industrial Research, Wellington, New Zealand.
- Taylor, G. (2000) Action plan for seabird conservation in New Zealand. Part A: Threatened seabirds. *Threatened Species Occasional Publication No. 16*. Department of Conservation, Wellington, New Zealand.
- Taylor, G. (2000) Action plan for seabird conservation in New Zealand. Part B: Non-threatened seabirds. *Threatened Species Occasional Publication No. 17*. Department of Conservation, Wellington, New Zealand.
- Taylor, R., Smith, I. (Principal authors) (1997) The state of New Zealand's environment 1997: Ministry for the Environment; GP Publications, Wellington, N.Z.
- Taylor, R.H. (1982) New Zealand fur seals at the Bounty Islands. *New Zealand Journal of Marine and Freshwater Research 16*: 1-9.
- Taylor, R.H. (1992) New Zealand fur seals at the Antipodes Islands. *Journal of the Royal Society of New Zealand 22*: 107–122.

- Taylor, R.H. (1996) Distribution, abundance and pup production of the New Zealand fur seal (*Arctocephalus forsteri* Lesson) at the Bounty Islands. *Science for conservation* 32. Department of Conservation, Wellington. 14 p.
- Taylor, R.H. (1996) Distribution, abundance and pup production of the New Zealand fur seal (*Autocephalous forsteri* Lesson) at the Bounty Islands. *Science for Conservation* 32.
- Taylor, R.H., Taylor, G.A. (1989) Re-assessment of the status of southern elephant seals (*Mirounga leonine*) in New Zealand. *New Zealand Journal of Marine and Freshwater Research* 23: 201–213.
- Tennyson, A., Imber, M., Taylor, R. (1998) Numbers of black-browed mollymawks (*Diomedea m. melanophrys*) and white-capped mollymawks (*D. cauta steadi*) at the Antipodes Islands in 1994-95 and their population trends in the New Zealand region. *Notornis* 45: 157-166.
- Tennyson, A., Taylor, G., Imber, M., Greene, T. (2002) Unusual bird records from the Antipodes Islands in 1978-1995, with a summary of other species recorded at the island group. *Notornis* 49: 241-245.
- Thompson, B.N. (1990) Antipodes Island Group : a photogeological interpretation // Lower Hutt [N.Z.] : New Zealand Geological Survey, Dept. of Scientific and Industrial Research, [1990] (N.Z.G.S. report G ; 117).
- Turbott, E.G. (Conv.) (1990) Checklist of the birds of New Zealand and the Ross Dependency, Antarctica. Random Century in association with the Ornithological Society of New Zealand. 247 p.
- Turner, S.J., Thrush, S.F., Hewitt, J.E., Cummings, V.J., Funnell, G. (1999) Fishing impacts and the degradation or loss of habitat structure. *Fisheries Management and Ecology* 6: 401–420.
- Uddstrom, M.J., Oien, N.A. (1999) On the use of high-resolution satellite data to describe the spatial and temporal variability of sea surface temperatures in the New Zealand region. *Journal of Geophysical Research* 104 (C9): 20729–20751.
- Uozumi, Y., Forch, E. (1995) Distribution of juvenile arrow squids *Nototodarus gouldi* and *N. sloanii* (Cephalopoda: Oegopsida) in New Zealand waters. *Fisheries Science* (Tokyo) 61 (4): 566-573 1995
- Uozumi, Y., Yatsu, A., Robertson, D.A. (1987) Japan-New Zealand trawl survey off southern New Zealand, April 1983. [edited by G.G. Baird] MAFFish, 1987. New Zealand fisheries technical report no. 4. Ministry of Fisheries, Wellington, New Zealand.
- van den Hoff, J. (2001) Dispersal of southern elephant seals (*Mirounga leonina* L.) marked at Macquarie Island. *Wildlife Research* 28(4) : 413-418.
- Van Heezik, Y. (1990) Seasonal, geographical, and age-related variations in the diet of the yellow-eyed penguin (*Megadyptes antipodes*) *New Zealand Journal of Zoology* 17(2): 201-212.
- Van Tets, G.F. (1975) Observations on the Auckland Island shag, 1972–73. *In: Preliminary results of the Auckland Islands Expedition 1972–1973*. Yaldwyn, J.C. (ed) Department of Lands and Survey.
- Van Tets, G.F. (1980) The Campbell Island shag. Preliminary reports of the Campbell Island Expedition 1975–76. Department of Lands and Survey, Wellington.
- Vine, P.J. (1977) The marine fauna of New Zealand: Spirorbinae (Polychaeta: Serpulidae). *New Zealand Oceanographic Institute Memoir* 68.

- Walker, K., Elliott, G. (1999) Population changes and biology of the Wandering Albatross *Diomedea exulans gibsoni* at the Auckland Islands. *Emu*. 99 (4): 239-247 Dec. 1999
- Walker, K., Elliott, G. (2002) Monitoring Antipodean wandering albatross 1995/96. DOC science internal series 74. Department of Conservation, Wellington. 17p.
- Walker, K., Elliott, G., Nicholls, D. (1995) Satellite tracking of wandering albatross (*Diomedea exulans*) from the Auckland Islands: Preliminary results. *Notornis* 42 (2): 127-137 1995
- Walls, G. (1998) Vegetation monitoring in the Subantarctic islands: Environmental monitoring—New Zealand—Subantarctic Islands. Conservation advisory science notes 174. Department of Conservation, Wellington, New Zealand.
- Walters, R.A., Goring, D.G., Bell, R.G. (2001) Ocean tides around New Zealand. *New Zealand Journal of Marine and Freshwater Research* 35: 567–579.
- Watson, G. E. (1971) Birds of the Antarctic and Subantarctic. American Geographical Society, New York.
- Waugh, S. M. (1998) Dye-marking of New Zealand black-browed and grey-headed albatrosses from Campbell Island. *New Zealand Journal of Marine and Freshwater Research* 32(4):545-549.
- Waugh, S.M. (1999) Foraging ecology and population status of New Zealand black-browed and grey-headed albatrosses, Campbell Island.: (NIWA client report CHC99/1, Christchurch, N.Z.) Prepared for Department of Conservation, Wellington, NZ.
- Waugh, S. M., Sagar, P. M., Cossee, R. O. (1999) New Zealand Black-browed Albatross *Diomedea melanophrys impavida* and Grey-headed Albatross *D. chrysostoma* banded at Campbell Island: Recoveries from the South Pacific region. *Emu* 99 (1) : 29-35 March 1999
- Waugh, S. M., Sagar, P. M., Paull, D. (1997) Laying dates, breeding success and annual breeding of Southern Royal Albatrosses *Diomedea epomophora epomophora* at Campbell Island during 1964-69. *Emu* 97(3) : 194-199.
- Waugh, S.M., Sagar P.M., Cossee, R.O. (2001) New Zealand Black-browed Albatross *Diomedea melanophrys impavida* and Grey-headed Albatross *D. chrysostoma* Banded at Campbell Island: Recoveries from the South Pacific Region. *Emu* 99(1) 29 – 35.
- Waugh, S.M., Troup, C., Filippi, D., Weimerskirch, H. (2002) Foraging Zones of Southern Royal Albatrosses. *Condor* 104(3): 662-667.
- Waugh, S.M., Weimerskirch, H., Cherel, Y., Shankar, U., Prince, P.A., Sagar, P.M. (1999) Exploitation of the marine environment by two species of sympatric albatrosses in the Pacific Southern Ocean. *Marine Ecology Progress Series* 177: 243–254.
- Waugh, S.M., Weimerskirch, H., Moore, P.J., Sagar, P.M. (1999) Population dynamics of black-browed and grey-headed albatrosses *Diomedea melanophrys* and *D. chrysostoma* at Campbell Island, New Zealand, 1942-96. *Ibis* 141: 216-225.
- West, C.J. (2001) Draft New Zealand Subantarctic Islands research strategy. Department of Conservation, Invercargill, New Zealand.
- West, C.J. (2002) New Zealand subantarctic islands research strategy. Draft Department of Conservation document, June 2002.
- Westerskov, K. (1963) Ecological factors affecting distribution of a nesting Royal albatross population. Wellington, N.Z. : Dept. of Internal Affairs, 1963 (Wildlife publication ; no. 69)

- Williams, M. (1986) Research on Auckland Island teal in April 1983. *In: Preliminary reports of the expeditions to the Auckland Islands Nature Reserve 1973–1984*. Penniket, A., Garrick, A., Breese, E. (comps).
- Williams, M. (1986) Status of Auckland Island teal on Enderby, Rose, Ewing and Ocean Islands, Auckland Islands March 1982. *In: Preliminary reports of the expeditions to the Auckland Islands Nature Reserve 1973–1984*. Penniket, A., Garrick, A., Breese, E. (comps).
- Wilson, G.J. (1975) Report on the distribution and abundance of the New Zealand fur seal *Arctocephalus forsteri* at the Auckland Islands 1972-1973. Pp. 183-196 in Yaldyn, J.C. (Ed): *Preliminary results of the Auckland Islands expeditions 1972-1973*. New Zealand Department of Lands and Survey.
- Wilson, G.J. (1981) Distribution and abundance of the New Zealand fur seal, *Arctocephalus forsteri*. *Fisheries research Division occasional Publication No. 20*. 40 p.
- Wiltshire, A.J., Scofield, R.P. (2000) Population estimate of breeding northern giant petrels *Macronectes halli* on Campbell Island, New Zealand. *Emu 100*: 186-191.
- Young, E.C. (1995) Conservation values, research and New Zealand's responsibilities for the Southern Ocean Islands and Antarctica. *Pacific Conservation Biology 2*: 99–112.